



The fourth Minnesota forest inventory: **AREA**

Pamela J. Jakes

CONTENTS

	<i>Page</i>
Highlights	1
Land Use in Minnesota and Trends in Land Use	1
Nonforest land uses occupy 67 percent of Minnesota's land base	1
Forest land base declines 9 percent between surveys	2
Characteristics of Minnesota's Forest Land	5
Commercial forest land	5
Noncommercial forest land	10
Appendix	11
Survey procedures	11
Comparing Minnesota's fourth survey with the third survey	11
Definition of terms	12
Tables 7-25	14

**North Central Forest Experiment Station
Forest Service—U.S. Department of Agriculture
1992 Folwell Avenue
St. Paul, Minnesota 55108**

Manuscript approved for publication May 20, 1980

1980

FOREWORD

Resources Evaluation (formerly called Forest Survey) is a continuing endeavor as mandated by the Forest and Rangeland Renewable Resources Planning Act of 1974, which was preceded by the McSweeney-McNary Forest Research Act of 1928. Its objective is to inventory periodically the Nation's forest lands to determine their extent, condition, and volumes of timber, growth, and depletions. This kind of up-to-date information is essential to frame intelligent forest policies and programs. USDA Forest Service regional experiment stations are charged with the responsibility for conducting these inventories and publishing summary reports for individual States. The North Central Forest Experiment Station is responsible for Resources Evaluation work done in Michigan, Wisconsin, Minnesota, North Dakota, eastern South Dakota (east of 103rd meridian), Nebraska, Iowa, Illinois, Indiana, Missouri, and Kansas.

Fieldwork for the 1977 Minnesota Forest Survey was started in July 1974 and was completed in July 1978. Reports on the three previous surveys of Minnesota's timber resource are dated 1936, 1953, and 1962.

Resource Bulletins reporting statistical highlights and detailed tables on the timber resource of the State and the four Survey Units are available from the Station. In addition to this report on area, Resource Bulletins are planned discussing Minnesota's timber volume, treatment opportunities, operability and biomass.

A higher degree of accuracy of survey information was obtained during the 1977 survey than otherwise would have been feasible because of intensified field sampling made possible by extra funding and manpower provided the North Central Station by the State Legislature through the Minnesota Department of Natural Resources. The Department also assisted in a canvass of primary wood-using plants in the State, which was used to help in estimating the quantity of timber products harvested in Minnesota.

Aerial photos used in the Minnesota Forest Inventory were furnished by the Boise Cascade Corporation, Chippewa National Forest, Lake County Land Commissioner's Office, Minnesota Department of Natural Resources, Superior National Forest, USDA Agricultural Stabilization and Conservation Service, and USDI Bureau of Indian Affairs.

The following North Central Forest Experiment Station office personnel assisted in preparation of the State tables and manuscript:

Mark H. Hansen, Associate biometrician
Mary Jean Hanson, Secretary
Patrick Peine, Statistical assistant
Gerhard K. Raile, Associate mensurationist
Carol Weist, Computer programmer

THE FOURTH MINNESOTA FOREST INVENTORY: AREA

Pamela J. Jakes
Associate Resource Analyst

HIGHLIGHTS

- Nonforest land uses account for 34.0 million acres of the 50.7 million acres of land in the State.
- Since the third Minnesota Forest Inventory in 1962, forest area has declined 9 percent—from 18.4 million acres to 16.7 million acres.
- Commercial forest land is the largest forest land class, accounting for 13.7 million acres, or 82 percent of the forest land area.
- The 13.7 million acres of commercial forest land reported in 1977 is 1.7 million acres less (11 percent) than that reported in 1962.
- The aspen type dominates the forest landscape in 1977 as it did in 1962, with 39 percent of the commercial forest area in aspen.
- A coniferous understory is present on 40 percent of Minnesota's commercial forest area.
- Farmers own one-quarter of Minnesota's commercial forest land, the largest portion for any ownership class.
- Poletimber stands are found on 7.0 million acres of commercial forest land, the remaining acreage is evenly divided between sawtimber and seedling and sapling stands.
- Half of the commercial forest area is within 1 mile of water.
- Eighty-two percent of Minnesota's commercial forest land is within 1 mile of a maintained road.
- Seventy-four percent of Minnesota commercial forest land is owned by individuals who own at least 100 acres of commercial forest.

* * *

A diversity of land uses are observed across the State of Minnesota. Moving from the Iowa-South Dakota-Minnesota border in the southwest to the

Arrowhead Region in the northeast, one travels through cropland, metropolitan centers, recreational developments, and valuable mineral deposits, to forest wilderness and the Great Lakes. Analysis of data from the fourth Minnesota Forest Inventory gives an indication of current land uses in the State, with particular emphasis on past and present conditions of Minnesota's commercial forest land.

LAND USE IN MINNESOTA AND TRENDS IN LAND USE

Nonforest Land Uses Occupy 67 Percent of Minnesota's Land Base

Resource Evaluation recognizes two primary categories of land use—forest and nonforest. Nonforest land accounts for 34.0 million acres of the 50.7 million acres of land in the State. Three classes of nonforest land—cropland, marsh, and urban and other uses—account for more than 93 percent of the total nonforest land area:

Nonforest land use	Million acres
Cropland	26.5
Marsh	3.0
Urban and other uses	2.4
Improved pasture	1.0
Other farm—farmstead, idle farm	0.6
Wooded strips, windbreaks, wooded pasture	0.4
Noncensus water	0.1
Total	34.0

Minnesota's nonforest land is concentrated in the Prairie and Central Hardwood Forest Survey Units (fig. 1). Nonforest land uses that do not fit this generalization include marshland (49 percent in the Northern Pine Unit) and idle farmland (43 percent in the Northern Pine Unit, 31 percent in the Aspen-Birch Unit).

Figure 2 — Conversion of commercial forest land to other land uses between 1962 and 1977, Minnesota.




Figure 2.—Conversion of commercial forest land to other land uses between 1962 and 1977, Minnesota.

Table 2.—Area of commercial forest land (except National Forest) by treatment class and ownership class, Minnesota, 1962-1977

(In thousand acres)

Treatments since 1962	Total	Ownership class			
		Public ¹	Forest industry	Farmer	Miscellaneous private
No disturbance	10,325.5	4,924.9	612.8	2,861.5	1,927.3
Timber stand improvement	30.2	7.9	4.2	9.6	8.5
Harvest	1,207.2	515.8	118.5	407.9	165.0
Significant damage	344.3	131.3	24.3	112.3	76.4
Artificial regeneration					
Forest land	53.2	28.0	13.2	3.1	8.9
Nonforest land	6.4	1.2	—	3.3	1.9
Natural regeneration					
Nonforest land	13.2	4.2	—	6.0	3.0
Total	11,980.0	5,613.3	772.0	3,403.7	2,191.0

¹Does not include National Forest land.

The most common treatment was harvest, occurring on 1.2 million acres. Harvest acreage was concentrated in public and farmer ownership classes, with 515,800 and 407,900 acres of harvest, respectively. Fifteen percent of forest industry commercial forest land was harvested over the 15-year period, as was 12 percent of farmer, 9 percent of public, and 7 percent of miscellaneous private commercial forest land. Commercial forest land in the aspen forest type accounted for the largest portion of the harvest area, 45 percent. Fifteen percent of the red pine type acreage was harvested since the last survey.

Significant damage was observed on 344,300 acres of commercial forest land. Most of the damage (84 percent) was due to natural causes, such as fire, insects, disease, and wind. However, human interference (such as draining and flooding) resulted in significant damage on 56,700 acres.

Stand history records indicate that artificial regeneration occurred on 53,200 acres of commercial forest land and timber stand improvement projects on 30,200 acres. Nonforest land was converted to commercial forest land through natural (13,200 acres) and artificial (6,400 acres) regeneration.

Noncommercial forest area declines

The area of noncommercial forest land remained relatively constant during the 15 years between forest inventories. The 3.0 million acres of noncommercial forest land in 1977 is only 19,100 acres less than that reported in 1962.

Within the noncommercial forest land class, the area of productive-reserved forest land has more than doubled, from 0.5 million acres in 1962 to 1.2 million acres in 1977. This increase is the result of commercial forest and unproductive land being transferred to parks, wilderness areas, and Christmas tree plantations. The area of unproductive forest land declined 28 percent between 1962 and 1977, from 2.6 million acres to 1.8 million acres. Although data on changes in land-use on unproductive forest land were not gathered during the fourth Minnesota Forest Inventory, it has been generally observed that in the northern portions of the State, unproductive forest land has been transferred to productive-reserved status or reclassified as water or marsh; while in the southern portions of the State, unproductive forest land has been converted to pasture and urban and related land uses.

CHARACTERISTICS OF MINNESOTA'S FOREST LAND

Commercial Forest Land

Aspen is Minnesota's most common forest type

The aspen forest dominates the Minnesota forest landscape in 1977 as it did in 1962. The area of aspen declined slightly from 5.4 million acres in 1962 and 5.3 million acres in 1977; however, the percentage of land covered by aspen increased from 35 percent to 39 percent. Commercial forest area declined in most

forest types between surveys, except for white spruce, northern white-cedar, maple-basswood, paper birch, and balsam poplar. The elm-ash-cottonwood type lost the most acreage between surveys (548,300), while the white pine type lost the largest percentage of its 1962 area (50 percent).

Survey data cannot explain totally the change in commercial forest area by forest type. As shown earlier, the acreage transferred to productive-reserved forest land is known by forest type, but comparing these acreages to the total change between surveys in each type indicates that this is only part of the story. Each type lost land to nonforest uses, but nonforest land has also reverted to commercial forest land and there have been shifts in forest types within the commercial forest land base.

Coniferous understory present on 40 percent of Minnesota's commercial forest land

Forest types classify commercial forest land on the basis of the tree species forming a plurality of the stocking. It is often useful to know the understory of a stand in order to identify what species may occupy a site if the overstory is harvested, and to help

determine wildlife habitat diversity. Inventory data were collected indicating whether coniferous understory was present, whether the understory was planted or natural, and whether the understory would prosper if the present stand was harvested. A coniferous understory is present on 40 percent of Minnesota's commercial forest land (table 3). Of the 5.5 million acres of commercial forest land with coniferous understory, 97 percent occurs naturally, 3 percent is planted.

Coniferous understory is found in all forest types. Planting of a coniferous understory is most common in aspen and jack pine types, while coniferous understory naturally occurs most often in aspen, black spruce, and balsam fir forest types. More than 96 percent of the understory acreage would survive if the current stand was removed, the remaining commercial forest area would require additional treatments for the understory to survive.

Farmers own one-quarter of Minnesota's commercial forest land

Farmers own more commercial forest land than any other group (fig. 3). The 3.4 million acres of

Table 3.—Area of commercial forest land by forest type and presence and condition of coniferous understory, Minnesota, 1977

(In thousand acres)

Forest type	Total	No coniferous understory	Conifer understory			
			Planted		Natural	
			Good ¹	Poor ²	Good ¹	Poor ²
Jack pine	504.4	201.9	39.4	8.2	244.6	10.3
Redpine	246.9	49.3	20.8	3.4	173.0	0.4
Whitepine	65.6	16.1	1.1	—	48.4	—
Balsam fir	859.1	84.1	2.3	6.0	750.0	16.7
White spruce	79.2	10.9	13.9	5.1	42.4	6.9
Black spruce	1,041.8	128.4	2.5	10.0	896.4	4.5
Northern white-cedar	498.6	65.1	1.4	—	421.9	10.2
Tamarack	465.4	134.8	1.7	4.0	323.7	1.2
Oak	893.9	854.4	6.5	3.1	24.6	5.3
Elm-ash-cottonwood	738.1	518.4	1.1	2.8	204.3	11.5
Maple-basswood	1,283.9	1,095.6	5.3	1.5	171.2	10.3
Aspen	5,302.3	3,877.6	32.7	32.8	1,302.2	57.0
Paper birch	997.6	555.2	1.4	7.0	411.8	222.2
Balsam poplar	548.9	417.8	—	1.6	120.0	9.5
Nonstocked	169.4	126.7	—	—	36.9	5.8
Total	13,695.1	8,163.3	130.1	85.5	5,171.4	171.8

¹Should prosper when present stand is removed.

²In order to prosper, stand would require treatment other than a regeneration cut.

Figure 3 — Distribution of commercial forest land by ownership class, Minnesota, 1977.




Figure 3.—Distribution of commercial forest land by ownership class, Minnesota, 1977.

mer owned commercial forest land is concentrated in the Northern Pine and Central Hardwood Forest Survey Units (1.3 million acres and 1.1 million acres respectively). More than one-third of the commercial forest land owned by farmers is owned by individuals having at least 100 acres of commercial forest land. An additional 55 percent of the farmer-owned commercial forest land is owned by individuals having between 20 and 100 acres.

The State of Minnesota owns 2.7 million acres of commercial forest land, 89 percent of which occurs in the Aspen-Birch and Northern Pine Forest Survey Units. An additional 2.3 million acres of commercial forest land is owned by county and municipal agencies. Minnesota commercial forest land in county and municipal ownership accounts for 34 percent of all the county and municipal commercial forest land in the United States. Except for the State of Wisconsin, no other State has more than 400,000 acres of commercial forest land in the county and municipal ownership class.

National Forest and miscellaneous private individual owners each hold 1.7 million acres of commercial forest land. The remaining 1.9 million acres of commercial forest land is owned by forest industry, private corporations, and other federal agencies.

Majority of commercial forest area in stands less than 51 years old

Forest stands over 50 years of age occupy 43 percent of Minnesota's commercial forest land (fig. 4). The distribution of commercial forest land by age class is fairly consistent across ownership classes; however, the distribution varies by forest type.

Distribution of type acreage by age class reflects stand history and the silvics of the species common to the type. In the aspen type, 90 percent of the acreage is in stands less than 61 years old. The occurrence of aspen in Minnesota is strongly tied to the fire history of the State. Large areas of northern Minnesota burned in the early part of this century, causing the destruction of existing stands and regeneration of aspen that has resulted in the current 60- to 70-year-old stands. Few aspen stands reach over 70 years of age—either the stands are harvested on relatively short rotations or they decline from attacks by insects or disease. By comparison, only 51 percent of the red pine type acreage is in stands less than 61 years old. Red pine is a relatively fire tolerant species. It is managed for sawtimber so therefore is harvested on much longer rotations than aspen.




Figure 4.—Area of commercial forest land by stand-age class, Minnesota, 1977.

Poletimber stands occupy majority of commercial forest land

Poletimber stands are found on 7.0 million acres of commercial forest land in Minnesota, the remaining acreage is evenly divided between sawtimber and seedling and sapling stands. Although most forest types have the largest portion of their commercial forest area in poletimber stands, there are some exceptions. Red pine, oak-hickory, and maple-basswood forest types have a majority of their acreage in sawtimber stands, while white spruce and tamarack have a majority in seedling and sapling stands.

Three ratings of forest site quality collected in Minnesota

Physiographic classes.—Physiographic classes describe soil and water conditions that affect forest type and site quality. Five physiographic classes were recorded in Minnesota, ranging from xeric sites, where excessive drainage limits growth and species occurrence, to hydric sites, where excess water is the limiting factor (table 4). Two-thirds of Minnesota's commercial forest land occurs on mesic sites. Soil and water characteristics on mesic sites are favorable to tree growth—growth and species occurrence are limited only by climate. In a State so well known for its lakes and streams, it is not surprising that it is much more common for growth and species occurrence to be

Table 4.— Area of commercial forest land by forest type and physiographic class, Minnesota 1977 (In thousand acres)

Forest type	Total	Physiographic class				
		Xeric	Xeromesic	Mesic	Hydromesic	Hydric
Jack pine	504.4	7.7	204.1	275.6	15.4	1.6
Red pine	246.9	—	73.4	167.6	5.9	—
White pine	65.6	—	19.3	44.6	1.7	—
Balsam fir	859.1	—	17.4	528.3	260.1	53.3
White spruce	79.2	—	1.7	56.9	18.6	2.0
Black spruce	1,041.8	—	4.0	65.9	588.4	383.5
Northern						
white-cedar	498.6	—	—	43.9	323.4	131.3
Tamarack	465.4	—	—	7.3	327.3	130.8
Oak-hickory	893.9	1.5	41.8	839.0	11.6	—
Elm-ash-cottonwood	738.1	—	—	212.5	488.0	37.6
Maple-basswood	1,283.9	—	6.6	1,042.1	228.7	6.5
Aspen	5,302.3	12.0	84.5	4,596.5	584.3	25.0
Paper birch	997.6	—	22.5	873.7	93.1	8.3
Balsam poplar	548.9	1.4	4.0	344.4	190.6	8.5
Nonstocked	169.4	—	6.1	34.2	84.1	45.0
Total	13,695.1	22.6	485.4	9,132.5	3,221.2	833.4

limited by excess water than by droughty conditions. Hydric or hydromesic sites are found on 4.1 million acres of commercial forest land as compared to 0.5 million acres on xeric or xeromesic sites.

In most forest types, the majority of the commercial forest land is on mesic sites. Forest types more common on wetter sites include black spruce, northern white-cedar, tamarack, and elm-ash-cottonwood. Only four forest types are found on the very dry xeric sites—jack pine, oak-hickory, aspen, and balsam poplar.

Site index classes.—Physiographic classes give an indication of forest site quality based on soil and water conditions. A second expression of site quality, site index, classifies sites in terms of the height of a free-growing dominant or codominant tree of a representative species of the forest type at age 50. There is a relation between physiographic class and site index, as illustrated in the tabulation below:

Physiographic class	Average site index for all forest types
Xeric	56
Xeromesic	57
Mesic	61
Hydromesic	48
Hydric	33

From this data it appears that in Minnesota, excessive water has a greater impact on tree height growth than a lack of water.

Site index values vary widely by forest type. A site index value that is excellent for one type may be only average for a second type. For example, in the aspen type, the average site index is 66. Ten percent of the aspen acreage has a site index value of at least 81. The best white spruce sites in Minnesota fall in the 61-70 site index class, the same class that contains the average aspen site index. Therefore, in Minnesota, commercial forest land in the 61-70 site index class would be called excellent if it were supporting white spruce, but only average if supporting aspen.

Site classes.—Yet a third descriptor of site quality is site class. Site classes are expressed in cubic feet of growth per acre per year, and classify a site in terms of its inherent capacity to grow crops of wood based on culmination of mean annual increment for fully-stocked natural stands.

In Minnesota, 6 site classes were recognized:

Site class	Cubic foot growth/acre/year
I	225 +
II	165-224
III	120-164
IV	85-119
V	50-84
VI	20-49

The average site class rating in Minnesota is 58 (site class V), which is average for the three Lake States (55, site class V). This means that on the average, a fully-stocked natural stand will produce 58 cubic feet/acre/year at culmination of mean annual increment in Minnesota.

New survey data provides more detailed picture of Minnesota's commercial forest land

Data on distance to water, distance to a road, stand area, and size of owner are several pieces of information collected for the first time in Minnesota during the fourth Forest Inventory. Analysts at the North Central Station hope to eventually develop this data to provide an assessment of the operability of Minnesota's commercial forest land and nontimber forest resources.

For example, accessibility and economies of scale are two important variables affecting a decision to harvest or manage a timber stand. Distance to road gives an indication of the accessibility of a stand, while stand area estimates the extent of a specific forest type, stand-size class, and density, and thereby the area suitable for a given treatment. Prime recreation sites are often occupied by mature stands of timber, and are close to a lake or stream, with easy access. Information on stand area, distance to water, and distance to road can be analyzed to assess an area's recreational potential.

Distance to water.—Forty-five percent of Minnesota's commercial forest land is within 1 mile of water. A comparison of the average distance to water for different forest types produces some surprising relations. For example, the average distance to water for the tamarack forest type is 3.8 miles, the average distance for all forest types is 2.3 miles. Distance to water is measured on a straight line to the nearest lake at least 5 acres in size or the nearest stream at least 1 chain wide. So while tamarack is often found on sites with poor drainage or even standing water

(98 percent of the type's commercial forest acreage is on hydromesic or hydric sites), the distance to open water is often over 3 miles.

Distance to road.—Eighty-two percent of Minnesota's commercial forest land is within 1 mile of a maintained road (a road that is graded at least once a year). Of the area more than 20 miles from a road, over three-quarters is in public ownership. Forty percent of the commercial forest area more than 20 miles from a road is black spruce or tamarack forest type. These areas are most likely bogs and marshes.

Stand area.—Stand area is a measure of the homogeneity of Minnesota's commercial forest land. Stand area measures the extent of a given type-size-density class. For example, in the 640+ stand-area class, there are 19,100 acres in the jack pine forest type. This means that there are no more than 30 parcels of jack pine at least 640 acres in size and of the same stand-size and density. Most (65 percent) of Minnesota's commercial forest land is in homogeneous type-size-density blocks of less than 20 acres.

Size of owner.—This data indicates the amount of commercial forest acreage owned by one individual or agency. Since one entity can own several tracts of timber, size of owner shows the total commercial forest acreage owned by the individual or agency. Seventy-four percent of Minnesota's commercial forest land is owned by individuals or agencies who own at least 100 acres of commercial forest.

This statistic is colored by the fact that all public owners hold at least 5,000 acres. Looking at just private owners, 99 percent of Minnesota's forest industries, 42 percent of miscellaneous private owners, and 33 percent of farmers own at least 100 acres of commercial forest land.

Noncommercial Forest Land

Forest inventory data collected on noncommercial forest land was primarily limited to acreage by ownership class and forest type (tables 5 and 6).

Unproductive forest land

The State's 1.8 million acres of unproductive forest land is 11 percent of the total forest area. Unproductive land is concentrated in State, county, and municipal ownership, with 1.3 million acres. Over 19 percent of the forest land in this ownership class is unproductive, as compared to 14 percent for federal owners other than National Forest, and less than 6 percent for all other ownership classes.

The black spruce forest type occurs on 56 percent of the State's unproductive forest land. There is nearly as much black spruce in the unproductive forest land class as there is in the commercial forest land class—1,032,400 acres and 1,041,800 acres, respectively.

Productive-reserved forest land

Productive-reserved forest land totals 1.2 million acres. Public ownership classes hold 99 percent of the total as parks and wilderness areas account for all but a small portion of the productive-reserved area. The 11,600 acres of productive-reserved land in miscellaneous private ownership are primarily Christmas tree plantations. More than half of the productive-reserved area is in the aspen forest type, with jack pine and spruce-fir types contributing additional large acreage.

Table 5.—Area of forest land by ownership class and land class, Minnesota, 1977

(In thousand acres)

Ownership class	Total forest	Noncommercial		
		Commercial	Unproductive	Productive-reserved
National Forest	2,599.4	1,715.1	125.6	758.7
Other federal	875.0	621.2	127.1	126.7
State, county, and municipal	6,552.4	4,992.1	1,278.7	281.6
Forest industry	807.2	772.0	35.2	—
Farmer	3,614.8	3,403.7	211.1	—
Miscellaneous private	2,260.4	2,191.0	57.8	11.6
Total	16,709.2	13,695.1	1,835.5	1,178.6

Table 6.—Area of forest land by forest type and land class, Minnesota, 1977
(In thousand acres)

Forest type	Total forest	Noncommercial		
		Commercial	Unproductive	Productive-reserved
Jack pine	715.4	504.4	2.8	208.2
Red-white pine	391.9	312.5	7.5	71.9
Spruce-fir	1,110.2	938.3	67.2	104.7
Black spruce	2,142.9	1,041.8	1,032.4	68.7
Northern white-cedar	647.2	498.6	136.0	12.6
Tamarack	642.4	465.4	173.8	3.2
Oak-hickory	1,005.5	893.9	100.2	11.4
Elm-ash-cottonwood	964.0	738.1	187.6	38.3
Maple-basswood	1,314.6	1,283.9	7.6	23.1
Aspen-birch	7,591.8	6,848.8	109.1	633.9
Nonstocked	183.3	169.4	11.3	2.6
All types	16,709.2	13,695.1	1,835.5	1,178.6

APPENDIX

SURVEY PROCEDURE

The major steps in determining the areas by land class and forest type were as follows:

1. A total of 276,897 1-acre points were distributed systematically across aerial photos of the entire area, except the Chippewa and Superior National Forests. These points were classified as either forest land (72,700), unproductive forest land (4,483), nonforest land (197,674), or questionable (2,040), in order to make a preliminary estimate of forest area. Next, all of the forest points (72,700), 592 unproductive forest points, and 2,040 questionable points were stereo-classified as to forest type, stand-size class, and density. Then 9,796 points classed as forest, 592 points classed as unproductive, 276 points classed as questionable, and 25,498 points classified as nonforest were examined on the ground to correct the preliminary area estimate for errors in classification and for actual changes in land use since the photos were taken.

2. Data from the National Forests were incorporated in the Survey data. Area statistics for the

Chippewa and Superior National Forests were prepared by the Forest Timber Management staff from compartment examination records.

3. Data were compiled at the St. Paul office.

COMPARING MINNESOTA'S FOURTH SURVEY WITH THE THIRD SURVEY

Data from new forest surveys are often compared with data from earlier forest surveys to determine trends in forest areas and volumes. Changes in procedures and definitions between surveys make it necessary to adjust earlier survey data so they are comparable to data from the new survey.

In Minnesota, published 1962 commercial forest area was adjusted to take into account changes in the Unit boundaries between surveys. Then, a portion of the 1962 commercial forest area was withdrawn and added to unproductive forest (noncommercial) and to nonforest to allow for changes in the method of determining land uses.

DEFINITION OF TERMS

Land-Use Classes

Gross area.—The entire area of land and water as determined by the Bureau of Census, 1970.

Land area.—The area of dry land and land temporarily or partially covered by water such as marshes, swamps, flood plains, streams, sloughs, and estuaries. Canals less than ½-mile wide, and lakes, reservoirs, and ponds smaller than 40 acres are included as land area. These figures are from the Bureau of Census, 1970.

Forest land.—Land at least 16.7 percent stocked by forest trees of any size, or formerly having such tree cover, and not currently developed for nonforest use. Includes afforested areas. The minimum forest area classified was 1 acre. Roadside, streamside, and shelterbelt strips of timber must have a crown width of at least 120 feet to qualify as forest land. Unimproved roads and trails, streams, and clearings in forest areas were classed as forest if less than 120 feet wide.

Commercial forest land.—Forest land that is producing or is capable of producing crops of industrial wood and that is not withdrawn from timber utilization by statute or administrative regulation. This includes areas suitable for management to grow crops of industrial wood generally of a site quality capable of producing in excess of 20 cubic feet per acre of annual growth. This includes both inaccessible and inoperable areas.

Noncommercial forest land.—(a) Unproductive—forest land incapable of yielding crops of industrial wood because of adverse site conditions, (b) Productive-reserved—forest land withdrawn from commercial timber use through statute or administrative regulation, or exclusively used for Christmas tree production.

Nonforest land.—Land that has never supported forests, and land formerly forested where forest use is precluded by development for nonforest uses, such as cropland, improved pasture, residential areas, and city parks. Also includes improved roads and adjoining rights-of-way, powerline clearings, and certain areas of water classified by the Bureau of Census as land. Unimproved roads, streams, canals, and nonforest strips in forest areas must be more than 120 feet wide, and clearings in forested areas must be more than 1 acre in size, to qualify as nonforest land.

Ownership Classes

National Forest.—Federal lands that have been designated by executive order or statute as national forests or purchase units, and other lands under the administration of the USDA Forest Service.

Other federal.—Federal lands other than National Forest.

State, county, and municipal.—Lands owned by States, counties or local public agencies, or land leased by them for more than 50 years.

Forest industry.—Lands owned by companies or individuals operating primary wood-using plants.

Farmer-owned.—Lands owned by operators of farms. A farm must include 10 or more acres from which the sale of agricultural products totals \$50 or more annually, or if less than 10 acres, the yield must be at least \$250 annually.

Farmer-owned, leased.—Lands owned by operators of farms but leased to another party.

Miscellaneous private-corporation. — Lands owned by a private corporation not in the business of operating primary wood-using plants.

Miscellaneous private-individual. — Lands owned by a private individual.

Miscellaneous private-corporation, leased. — Lands owned by a private corporation but leased to another party.

Miscellaneous private-individual, leased. — Lands owned by a private individual but leased to another party.

Stand-size Classes

Stand.—A growth of trees on a minimum of 1 acre of forest land that is stocked by forest trees of any size.

Sawtimber stands.—Stands at least 16.7 percent stocked with growing-stock trees, with half or more of this stocking in sawtimber or poletimber trees and with sawtimber stocking at least equal to poletimber stocking.

Poletimber stands.—Stands at least 16.7 percent stocked with growing-stock trees, and with half or more of this stocking in sawtimber and/or poletimber trees and with poletimber stocking exceeding that of sawtimber.

Sapling-seedling stands.—Stands at least 16.7 percent stocked with growing-stock trees and with saplings and/or seedlings comprising more than half of this stocking.

Nonstocked areas.—Commercial forest land on which stocking of growing-stock trees is less than 16.7 percent.

Other Classifications

Site index.—An expression of forest site quality based on the height of a free-growing dominant or codominant tree of a representative species in the forest type at age 50.

Site class.—A classification of forest land in terms of inherent capacity to grow crops of industrial wood expressed in cubic-foot growth per acre per year.

Stand-age.—Age of the main stand. Main stand refers to trees of the dominant forest type and stand-size class.

Basal area.—The area in square feet of the cross section at breast height of a single tree. When the basal area of all the trees in a stand are summed, the result is usually expressed as square feet of basal area per acre.

Owner size-class.—The total number of acres of commercial forest land owned by one individual or agency.

Forest Types

A classification of forest land based upon the species forming a plurality of live-tree stocking. Major forest types in Minnesota are:

Jack pine.—Forests in which jack pine comprises a plurality of the stocking. (Common associates include eastern white pine, red pine, aspen, birch, and maple.)

Red pine.—Forests in which red pine comprises a plurality of the stocking. (Common associates include eastern white pine, jack pine, aspen, birch, and maple.)

White pine.—Forests in which eastern white pine comprises a plurality of the stocking. (Common associates include red pine, jack pine, aspen, birch, and maple.)

Balsam fir.—Forests in which balsam fir and white spruce comprise a plurality of the stocking with balsam fir the most common. (Common associates include white spruce, aspen, maple, birch, northern white-cedar, and tamarack.)

White spruce.—Forests in which white spruce and balsam fir comprise a plurality of the stocking with white spruce the most common. (Common associates include balsam fir, aspen, maple, birch, northern white-cedar, and tamarack.)

Black spruce.—Forests in which swamp conifers comprise a plurality of the stocking with black spruce the most common. (Common associates include tamarack and northern white-cedar.)

Northern white-cedar.—Forests in which swamp conifers comprise a plurality of the stocking with northern white-cedar the most common. (Common associates include tamarack and black spruce.)

Tamarack.—Forests in which swamp conifers comprise a plurality of the stocking with tamarack the most common. (Common associates include black spruce and northern white-cedar.)

Oak-hickory.—Forests in which northern red oak, white oak, bur oak, and hickory, singly or in combination, comprise a plurality of the stocking. (Common associates elm, maple, and aspen.)

Elm ash-cottonwood.—Forests in which lowland elm, ash, cottonwood and red maple, singly or in combination, comprise a plurality of the stocking. (Common associates include basswood and balsam poplar.)

Maple-basswood.—Forests in which sugar maple, basswood, yellow birch, upland American elm, and red maple, singly or in combination, comprise a plurality of the stocking. (Common associates include white pine and elm.)

Aspen.—Forests in which quaking aspen and big-tooth aspen, singly or in combination, comprise a plurality of the stocking. (Common associates include balsam poplar, balsam fir, and paper birch.)

Paper birch.—Forests in which paper birch comprises a plurality of the stocking. (Common associates include maple, aspen, and balsam fir.)

Balsam poplar.—Forests in which balsam poplar comprises a plurality of the stocking. (Common associates include aspen, elm, and ash.)

Table 7.--Area of land by land class and Forest Survey Unit, Minnesota, 1962^{1/} and 1977
(In thousand acres)

Land class	State total		Aspen-Birch		Northern Pine		Central Hardwood		Prairie	
	1962	1977	1962	1977	1962	1977	1962	1977	1962	1977
COMMERCIAL FOREST:										
Jack pine	872.0	504.4	395.6	165.7	453.1	327.4	23.3	11.3	--	--
Red pine	280.6	246.9	117.0	114.4	149.5	121.9	14.1	10.6	--	--
White pine	132.0	65.6	85.2	33.8	40.2	24.8	6.6	7.0	--	--
Balsam fir	907.9	859.1	669.2	626.0	231.0	225.6	7.7	7.5	--	--
White spruce	57.3	79.2	48.8	60.1	5.6	19.1	2.9	--	--	--
Black spruce	1,152.3	1,041.8	824.7	745.7	303.7	278.2	20.7	17.9	3.2	--
Northern white-cedar	333.7	498.6	206.5	317.8	120.7	180.8	--	--	6.5	--
Tamarack	470.5	465.4	151.9	157.6	250.1	276.0	58.5	30.8	10.0	1.0
Oak-hickory	1,022.7	893.9	2.3	5.4	360.9	247.4	600.3	571.8	59.2	69.3
Elm-ash-cottonwood	1,286.4	738.1	224.6	243.7	397.4	309.8	414.0	129.5	250.4	55.1
Maple-basswood	1,004.3	1,283.9	161.4	214.5	421.0	466.4	327.8	485.8	94.1	117.2
Aspen	5,399.8	5,302.3	2,070.8	1,947.4	2,360.8	2,541.7	640.0	560.2	328.2	253.0
Paper birch	795.1	997.6	496.5	546.3	283.4	371.2	15.2	80.1	--	--
Balsam poplar	447.5	548.9	207.2	208.0	240.3	297.5	--	10.7	--	32.7
Nonstocked	1,249.7	169.4	582.3	65.0	407.3	70.6	229.2	27.9	30.9	5.9
Total	15,411.8	13,695.1	6,244.0	5,451.4	6,025.0	5,758.4	2,360.3	1,951.1	782.5	534.2
NONCOMMERCIAL FOREST:										
Unproductive	2,563.1	1,835.5	1,125.4	969.8	950.1	706.9	351.3	120.2	136.3	38.6
Productive-reserved	470.1	1,178.6	400.9	1,050.6	29.1	46.9	36.6	72.4	3.5	8.7
Total	3,033.2	3,014.1	1,526.3	2,020.4	979.2	753.8	387.9	192.6	139.8	47.3
NONFOREST:	32,760.8	34,035.6	1,064.9	1,161.6	4,133.1	4,542.9	9,215.3	9,775.5	18,347.5	18,555.6
Total	51,205.82^{2/}	50,744.83^{3/}	8,835.2	8,633.4	11,137.3	11,055.1	11,963.5	11,919.2	19,269.8	19,137.1

^{1/} Figures have been adjusted from those published after the 1962 survey to conform to 1977 areas because of changes in survey procedures and definitions.

^{2/} U.S. Bureau of the Census. Land and water area of the United States, 1950.

^{3/} U.S. Bureau of the Census. Area measurement reports, 1970.

Table 8.--Commercial forest land lost to other land uses between 1962 and 1977
by Forest Survey Unit, Minnesota

(In thousand acres)

Land class	Total	Aspen- Birch	Northern Pine	Central Hardwood	Prairie
NONCOMMERCIAL FOREST:					
Productive-reserved	673.1	617.2	16.9	34.0	5.0
Unproductive	--	--	--	--	--
Subtotal	673.1	617.2	16.9	34.0	5.0
NONFOREST:					
Cropland	355.8	--	55.4	87.5	212.9
Improved pasture	127.4	34.0	42.2	44.2	7.0
Wooded pasture	16.4	--	13.3	3.1	--
Wooded strips	6.3	6.3	--	--	--
Marsh	53.6	20.9	16.7	16.0	--
Other farm	23.4	--	13.3	2.4	7.7
Urban and other	405.6	62.3	108.8	222.0	12.5
Noncensus water	53.7	51.9	--	--	1.8
Subtotal	1,042.2	175.4	249.7	375.2	241.9
CENSUS WATER:					
	1.4	--	--	--	1.4
Total	1,716.7	792.6	266.6	409.2	248.3

Table 9.--Area by land class and Forest Survey Unit, Minnesota, 1977

(In thousand acres)

Land class	All units	Aspen-Birch	Northern Pine	Central Hardwood	Prairie
FOREST:					
Commercial	13,695.1	5,451.4	5,758.4	1,951.1	534.2
Productive-reserved ^{1/}	1,178.6	1,050.6	46.9	72.4	8.7
Unproductive	1,835.5	969.8	706.9	120.2	38.6
Total	16,709.2	7,471.8	6,512.2	2,143.7	581.5
NONFOREST:					
Nonforest with trees:					
Cropland with trees	65.7	--	20.8	35.4	9.5
Improved pasture with trees	90.1	4.8	29.4	50.0	5.9
Wooded strips	158.9	10.6	24.6	99.4	24.3
Idle farmland with trees	7.9	1.6	1.4	3.9	1.0
Windbreaks	151.0	13.5	12.3	103.1	22.1
Wooded pasture	135.0	23.3	22.1	80.5	9.1
Subtotal	608.6	53.8	110.6	372.3	71.9
Nonforest without trees:					
Cropland without trees	26,421.3	357.1	2,007.2	7,218.5	16,838.5
Improved pasture without trees	897.7	67.6	527.3	159.5	143.3
Idle farmland without trees	47.1	15.4	22.3	5.8	3.6
Marsh	2,961.6	350.6	1,449.9	662.5	498.6
Other farm-farmstead	570.5	33.6	43.3	219.0	274.6
Urban and other	2,406.7	283.5	350.2	1,085.7	687.3
Noncensus water	122.1	--	32.1	52.2	37.8
Subtotal	33,427.0	1,107.8	4,432.3	9,403.2	18,483.7
Total	34,035.6	1,161.6	4,542.9	9,775.5	18,555.6
Total ^{2/}	50,744.8	8,633.4	11,055.1	11,919.2	19,137.1
CENSUS WATER:	3,058.7	715.1	1,437.7	581.9	324.0
Total gross area	53,803.5	9,348.5	12,492.8	12,501.1	19,461.1

^{1/}Includes 3,000 acres of productive-deferred forest land, commercial forest land being withheld from harvest while a decision is made whether to place it in productive-reserved status.

^{2/}U.S. Department of Commerce, Bureau of Census. 1970. Area measurement reports, GE-20 No. 1, 22 p.

Table 10.--Area of land and forest land by county, Minnesota, 1977

County	Land, area ^{1/}	Forest land		Percent commercial forest	
		All forest	Non- commercial		Commercial
- - - - -Thousand acres- - - - -					
Percent					
ASPEN-BIRCH					
Carlton	551.8	336.1	23.3	312.8	57
Cook	861.4	852.9	314.1	538.8	63
Koochiching	2,001.3	1,794.3	515.4	1,278.9	64
Lake	1,319.8	1,257.1	401.8	855.3	65
St. Louis	3,899.1	3,231.4	765.8	2,465.6	63
Total	8,633.4	7,471.8	2,020.4	5,451.4	63
NORTHERN PINE					
Aitkin	1,169.7	762.6	90.1	672.5	58
Becker	830.0	322.8	8.9	313.9	38
Beltrami	1,604.2	1,044.0	249.4	794.6	50
Cass	1,278.8	883.4	24.8	858.6	67
Clearwater	639.9	333.7	32.0	301.7	47
Crow Wing	636.5	380.7	8.8	371.9	58
Hubbard	596.2	403.2	5.2	398.0	67
Itasca	1,685.3	1,331.6	50.6	1,281.0	76
Lake of the Woods	838.8	596.1	235.5	360.6	43
Mahnomen	360.2	107.8	1.4	106.4	30
Roseau	1,072.8	232.6	40.7	191.9	18
Wadena	342.7	113.7	6.4	107.3	31
Total	11,055.1	6,512.2	753.8	5,758.4	52
CENTRAL HARDWOODS					
Anoka	271.0	42.9	6.3	36.6	14
Benton	257.4	28.3	2.2	26.1	10
Carver	229.9	12.3	1.9	10.4	5
Chisago	268.1	55.7	5.5	50.2	19
Dakota	368.4	19.5	3.0	16.5	5
Douglas	413.9	20.4	1.9	18.5	5
Fillmore	549.8	72.9	7.6	65.3	12
Goodhue	482.1	60.7	4.3	56.4	12
Hennepin	363.1	11.4	3.6	7.8	2
Houston	361.4	119.6	8.1	111.5	31
Isanti	280.6	54.1	7.2	46.9	17
Kanabec	335.1	134.5	5.5	129.0	39
LeSueur	281.6	11.4	1.4	10.0	4
Mille Lacs	365.6	136.2	13.4	122.8	34
Morrison	721.4	161.3	12.6	148.7	21
Olmsted	419.6	35.3	3.3	32.0	8
Otter Tail	1,256.2	200.5	14.2	186.3	15
Pine	904.7	477.6	52.0	425.6	47
Ramsey	99.0	0.1	0.1	--	0
Rice	317.6	14.1	2.0	12.1	4
Scott	225.7	16.3	2.7	13.6	6
Sherburne	275.8	62.3	5.4	56.9	21
Stearns	858.9	60.3	4.3	56.0	7
Todd	602.6	111.1	6.6	104.5	17
Wabasha	334.1	62.1	4.7	57.4	17
Washington	246.9	12.1	1.9	10.2	4
Winona	397.1	114.9	8.6	106.3	27
Wright	431.6	35.8	2.3	33.5	8
Total	11,919.2	2,143.7	192.6	1,951.1	16

(Table 10 continued on next page)

(Table 10 continued)

County	Land area ^{1/}	PRAIRIE Forest Land			Percent commercial forest
		All forest	Non-commercial	Commercial	
-----Thousand acres-----					Percent
Big Stone	313.8	2.7	0.3	2.4	1
Blue Earth	471.3	23.6	2.2	21.4	5
Brown	390.3	10.7	1.6	9.1	2
Chippewa	372.2	4.0	0.1	3.9	1
Clay	669.1	11.2	0.9	10.3	2
Cottonwood	407.0	2.6	0.1	2.5	1
Dodge	278.4	7.4	1.0	6.4	2
Faribault	455.1	6.5	0.3	6.2	1
Freeborn	448.4	5.7	0.9	4.8	1
Grant	349.6	3.0	0.1	2.9	1
Jackson	445.5	2.3	0.2	2.1	1
Kandiyohi	501.2	12.4	2.5	9.9	2
Kittson	719.0	71.9	4.4	67.5	9
Lac qui Parle	491.6	5.2	0.6	4.6	1
Lincoln	339.8	2.2	0.2	2.0	1
Lyon	453.5	5.3	0.9	4.4	1
McLeod	312.3	6.1	0.3	5.8	2
Marshall	1,145.1	142.7	14.2	128.5	11
Martin	450.1	3.8	0.2	3.6	1
Meeker	396.3	12.0	1.2	10.8	3
Mower	449.9	6.1	0.9	5.2	1
Murray	449.9	1.4	0.3	1.1	--
Nicollet	276.7	13.7	1.4	12.3	4
Nobles	455.5	0.7	--	0.7	--
Norman	566.4	23.1	0.9	22.2	4
Pennington	398.0	32.0	1.3	30.7	8
Pipestone	297.0	0.4	--	0.4	--
Polk	1,288.1	71.3	3.3	68.0	5
Pope	428.3	7.8	0.9	6.9	2
Red Lake	276.5	28.9	1.7	27.2	10
Redwood	559.4	6.7	0.5	6.2	1
Renville	626.3	8.0	0.8	7.2	1
Rock	310.4	0.5	--	0.5	--
Sibley	373.2	11.9	1.0	10.9	3
Steele	272.3	5.6	0.6	5.0	2
Stevens	357.2	1.0	--	1.0	--
Swift	473.2	5.0	0.3	4.7	1
Traverse	363.7	0.9	--	0.9	--
Waseca	265.3	5.0	0.4	4.6	2
Watonwan	276.9	1.1	--	1.1	--
Wilkin	481.1	0.5	--	0.5	--
Yellow Medicine	482.2	8.6	0.8	7.8	2
Total	19,137.1	581.5	47.3	534.2	3
All Units	50,744.8	16,709.2	3,014.1	13,695.1	27

^{1/}U.S. Department of Commerce, Bureau of Census. 1970. Area measurement reports, GE-20 No. 1, 22 p.

Table 11.--Area of commercial forest land by ownership class and Forest Survey Unit, Minnesota, 1977

(In thousand acres)

Ownership class	All units	Aspen-Birch	Northern Pine	Central Hardwood	Prairie
National Forest	1,715.1	1,152.8	562.3	--	--
Bureau of Land Mgmt.	43.9	8.1	35.8	--	--
Indian	466.8	97.5	364.9	4.4	--
Miscellaneous federal	110.5	20.7	60.5	20.3	9.0
State	2,650.5	1,132.1	1,228.7	244.7	45.0
County and municipal	2,341.6	1,185.9	1,096.7	59.0	--
Forest industry	772.0	534.7	233.8	0.5	3.0
Farmer	3,403.7	544.2	1,322.1	1,141.4	396.0
Farmer owned-leased	--	--	--	--	--
Misc. private-corp.	466.7	246.8	154.3	61.1	4.5
Misc. private-indiv.	1,712.0	523.6	696.6	418.1	73.7
Misc. priv.-corp., leased	5.7	4.0	--	--	1.7
Misc. priv.-indiv., leased	6.6	1.0	2.7	1.6	1.3
All owners	13,695.1	5,451.4	5,758.4	1,951.1	534.2

Table 12.--Area of commercial forest land by ownership class and forest type,
Minnesota, 1977

(In thousand acres)

Ownership class	Forest type							
	All types	Jack pine	Red pine	White pine	Balsam fir	White spruce	Black spruce	Northern white-cedar
National Forest	1,715.1	116.9	130.7	19.4	185.9	26.3	184.4	61.5
Bureau of Land Mgmt.	43.9	6.7	1.4	1.4	--	1.4	6.9	6.2
Indian	466.8	5.2	8.8	7.5	23.0	6.5	51.4	48.7
Miscellaneous federal	110.5	5.4	1.3	--	6.1	--	4.2	1.6
State	2,650.5	93.8	23.7	2.6	198.7	22.3	421.2	202.0
County and municipal	2,341.6	82.4	24.5	4.4	196.4	4.1	160.6	68.7
Forest industry	772.0	52.4	13.5	5.1	80.6	2.7	66.8	49.9
Farmer	3,403.7	80.9	21.5	16.7	75.5	7.8	69.9	25.4
Farmer owned-leased	--	--	--	--	--	--	--	--
Misc. private-corp.	466.7	12.4	3.6	1.0	32.4	--	27.2	6.6
Misc. private-indiv.	1,712.0	48.3	17.9	7.5	60.5	8.1	49.2	28.0
Misc. priv.-corp., leased	5.7	--	--	--	--	--	--	--
Misc. priv.-indiv., leased	6.6	--	--	--	--	--	--	--
All owners	13,695.1	504.4	246.9	65.6	859.1	79.2	1,041.8	498.6

(Table 12 continued)

Ownership class	Forest type							
	Tamarack	Oak-hickory	Elm-ash-cottonwood	Maple-basswood	Aspen	Paper birch	Balsam poplar	Non-stocked
National Forest	7.2	11.1	44.6	98.7	598.5	196.5	--	33.4
Bureau of Land Mgmt.	--	--	1.6	--	13.9	--	2.8	1.6
Indian	25.5	8.6	19.0	24.9	187.2	26.9	20.3	3.3
Miscellaneous federal	5.6	6.5	14.5	11.7	33.1	8.7	8.7	3.1
State	223.7	65.8	123.3	117.2	846.6	129.9	140.4	39.3
County and municipal	73.1	39.0	122.8	163.0	1,057.9	223.9	97.4	23.4
Forest industry	10.0	10.3	38.5	40.2	315.8	49.0	29.0	8.2
Farmer	76.0	581.2	234.8	586.1	1,278.8	161.2	152.3	35.6
Farmer owned-leased	--	--	--	--	--	--	--	--
Misc. private-corp.	16.6	29.9	19.7	33.5	204.4	54.1	19.8	5.5
Misc. private-indiv.	27.7	140.2	119.3	205.7	758.0	147.4	78.2	16.0
Misc. priv.-corp., leased	--	--	--	--	5.7	--	--	--
Misc. priv.-indiv., leased	--	1.3	--	2.9	2.4	--	--	--
All owners	465.4	893.9	738.1	1,283.9	5,302.3	997.6	548.9	169.4

Table 13.--Area of commercial forest land by ownership class and site class, Minnesota, 1977

(In thousand acres)

Ownership class	All classes	Site class (cubic feet of growth/acre/year)					
		225 or more	165-224	120-164	85-119	50-84	20-49
National Forest	1,715.1	--	--	1.5	177.3	694.5	841.8
Bureau of Land Mgmt.	43.9	--	--	--	4.2	14.9	24.8
Indian	466.8	--	1.4	8.7	78.1	151.0	227.6
Miscellaneous federal	110.5	--	--	--	5.8	48.3	56.4
State	2,650.5	--	1.4	31.5	374.4	722.4	1,520.8
County and municipal	2,341.6	--	1.3	46.8	468.7	919.5	905.3
Forest industry	772.0	--	1.2	17.5	164.8	230.5	358.0
Farmer	3,403.7	--	1.4	30.7	414.1	1,318.3	1,639.2
Farmer owned-leased	--	--	--	--	--	--	--
Misc. private-corp.	466.7	--	--	5.2	89.0	201.4	171.1
Misc. private-indiv.	1,712.0	--	--	17.7	265.5	691.1	737.7
Misc. priv.-corp., leased	5.7	--	--	--	1.4	4.3	--
Misc. priv.-indiv., leased	6.6	--	--	--	1.0	2.7	2.9
All owners	13,695.1	--	6.7	159.6	2,044.3	4,998.9	6,485.6

Table 14.--Area of commercial forest land by ownership class and size of owner, Minnesota, 1977

(In thousand acres)

Ownership class	Total	Size of owner (acres)								
		1-5	5-10	10-20	20-50	50-100	100-500	500-2510	2500-5000	5000+
National Forest	1,715.1	--	--	--	--	--	--	--	--	1,715.1
Bureau of Land Management	43.9	--	--	--	--	--	--	--	--	43.9
Indian	466.8	--	--	--	--	--	--	--	--	466.8
Miscellaneous federal	110.5	--	--	--	--	--	--	--	--	110.5
State	2,650.5	--	--	--	--	--	--	--	--	2,650.5
County and municipal	2,341.6	--	--	--	--	--	--	--	--	2,341.6
Forest industry	772.0	1.4	--	--	1.4	2.6	30.5	20.4	25.2	690.5
Farmer	3,403.7	72.2	90.3	220.2	845.9	1,035.5	989.4	75.9	21.5	52.8
Farmer owned-leased	--	--	--	--	--	--	--	--	--	--
Misc. private-corp.	466.7	1.4	1.3	2.8	20.7	23.6	97.2	66.6	58.2	194.9
Misc. private-indiv.	1,712.0	117.0	80.4	136.8	458.3	411.9	422.0	60.5	6.9	18.2
Misc. priv.-corp., leased	5.7	1.2	--	--	--	--	--	--	--	4.5
Misc. priv.-indiv., leased	6.6	--	--	1.6	1.0	--	4.0	--	--	--
All owners	13,695.1	193.2	172.0	361.4	1,327.3	1,473.6	1,543.1	223.4	111.8	8,289.3

Table 15.--Area of commercial forest land by county and forest type, Minnesota, 1977

(In thousand acres)

County	Forest type															
	All types	Jack pine	Red pine	White pine	Balsam fir	White spruce	Black spruce	Northern white-cedar	Tamarack	Oak-hickory	Elm-ash-cottonwood	Maple-basswood	Aspen	Paper birch	Balsam poplar	Non-stocked
Carlton	312.8	1.4	4.1	--	12.7	1.4	19.8	2.7	16.2	4.0	37.5	21.9	142.1	28.2	17.1	3.7
Cook	538.8	17.1	--	3.9	108.9	19.7	56.5	31.6	--	--	8.0	39.8	164.0	85.3	--	4.0
Koochiching	1,278.9	17.8	13.2	--	101.6	11.3	279.1	159.3	74.2	--	88.1	16.7	377.6	31.5	95.7	12.8
Lake	855.3	40.8	45.9	4.8	151.9	12.3	99.7	46.6	2.7	--	26.3	63.3	188.4	150.3	14.1	8.2
St. Louis	2,465.6	88.6	51.2	25.1	250.9	15.4	290.6	77.6	64.5	1.4	83.8	72.8	1,075.3	251.0	81.1	36.3
Total	5,451.4	165.7	114.4	33.8	626.0	60.1	745.7	317.8	57.6	5.4	243.7	214.5	1,947.4	546.3	208.0	65.0
NORTHERN PINE																
Aitkin	672.5	2.5	1.6	1.2	15.2	1.2	50.0	8.2	43.4	15.4	71.2	142.8	253.4	40.2	23.4	2.8
Becker	313.9	16.7	2.6	1.1	10.5	--	6.1	--	17.4	29.4	8.8	41.1	151.8	20.3	8.1	--
Beltrami	794.6	40.1	15.7	7.1	26.3	4.1	34.5	53.1	63.5	8.6	47.6	40.8	319.3	48.5	70.5	14.9
Cass	858.6	55.3	35.4	6.9	19.9	1.4	17.7	25.4	23.4	49.1	36.0	66.1	424.0	80.7	12.8	5.5
Clearwater	301.7	7.7	4.9	4.4	15.6	--	8.6	4.6	13.4	7.2	9.9	29.6	156.3	15.8	22.0	1.7
Crow Wing	371.9	25.4	4.1	--	2.8	--	4.2	1.2	12.0	86.7	18.5	19.6	165.9	29.0	--	2.5
Hubbard	398.0	63.5	12.9	1.4	14.1	3.3	5.9	1.4	6.5	17.3	2.5	5.7	224.9	30.2	8.4	--
Itasca	1,281.0	40.6	39.8	2.7	97.2	4.9	84.7	60.1	43.3	9.9	89.2	96.7	539.7	92.0	56.6	23.6
Lake of the Woods	360.6	22.6	1.4	--	16.5	2.7	54.9	21.2	33.6	--	7.8	--	115.1	10.2	57.8	16.8
Mahnomen	106.4	1.4	--	--	1.7	1.5	--	--	2.6	9.7	1.7	17.0	64.7	3.0	3.1	--
Roseau	191.9	15.0	--	--	5.8	--	9.2	5.6	15.0	--	13.9	5.8	85.9	1.3	31.6	2.8
Wadena	107.3	36.6	3.5	--	--	--	2.4	--	1.9	14.1	2.7	1.2	41.7	--	3.2	--
Total	5,758.4	327.4	121.9	24.8	225.6	19.1	278.2	180.8	276.0	247.4	309.8	466.4	2,541.7	371.2	297.5	70.6
CENTRAL HARDWOOD																
Anoka	36.6	0.3	0.3	0.1	0.1	--	--	--	0.7	11.7	4.0	11.7	5.8	0.9	0.1	0.9
Benton	26.1	0.7	0.7	0.1	--	--	--	--	0.1	9.5	1.7	7.4	4.9	0.7	0.1	0.2
Carver	10.4	--	--	0.1	--	--	--	--	0.1	3.4	1.3	4.0	1.1	0.2	--	0.2
Chisago	50.2	0.8	0.7	0.1	0.1	--	0.5	--	1.4	12.5	5.0	17.3	9.1	1.2	0.3	1.2
Dakota	16.5	--	0.2	--	--	--	--	--	0.5	3.7	2.7	5.3	3.0	0.6	--	0.5
Douglas	18.5	--	--	--	--	--	--	--	0.3	4.4	1.3	5.4	5.7	0.6	0.2	0.5
Fillmore	65.3	0.4	0.1	0.2	--	--	--	--	0.2	33.5	3.0	13.7	11.0	2.3	0.3	0.6
Goodhue	56.4	0.3	0.2	0.1	--	--	--	--	0.2	29.5	3.0	13.8	6.6	2.0	0.2	0.5
Hennepin	7.8	--	--	--	--	--	--	--	0.2	1.7	1.1	3.3	1.0	0.1	0.2	0.2
Houston	111.5	0.2	0.1	0.2	--	--	--	--	0.1	66.6	3.9	28.1	8.1	3.3	0.6	0.3
Isanti	46.9	1.3	1.3	0.1	0.1	--	0.8	--	2.0	11.1	4.2	12.7	10.5	1.3	0.3	1.2
Kanabec	129.0	0.1	0.4	0.2	0.2	--	0.9	--	2.9	27.0	9.8	29.4	49.4	6.5	0.5	1.7
Le Sueur	10.0	--	--	--	--	--	--	--	0.3	2.0	1.7	4.2	1.3	0.2	--	0.3
Mille Lacs	122.8	0.1	0.5	0.4	0.2	--	0.8	--	2.6	22.7	9.1	34.2	43.9	5.8	0.6	1.9
Morrison	148.7	1.1	0.9	0.3	--	--	0.4	--	2.4	57.0	9.9	35.9	32.6	5.1	0.8	2.3
Olmsted	32.0	0.1	0.1	0.1	--	--	--	--	0.2	16.1	1.7	7.2	5.1	1.0	0.1	0.3
Otter Tail	186.3	0.5	0.8	1.5	0.4	--	1.4	--	3.5	31.4	12.3	50.0	70.2	9.3	1.6	3.4
Pine	425.6	3.6	2.4	1.5	5.8	--	13.0	--	9.9	37.2	26.6	77.9	214.6	25.1	2.4	5.6
Ramsey	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Rice	12.1	--	--	--	--	--	--	--	0.1	2.3	1.6	5.7	1.8	0.2	0.1	0.3
Scott	13.6	--	--	--	--	--	--	--	0.2	3.9	2.0	5.6	1.4	0.2	--	0.3
Sherburne	56.9	0.9	1.3	1.1	0.3	--	--	--	0.2	28.5	2.8	12.6	6.7	1.7	0.3	0.5
Stearns	56.0	0.1	0.1	0.2	--	--	--	--	0.4	26.6	3.7	16.1	6.8	1.4	0.3	0.3
Todd	104.5	0.1	0.2	0.3	0.3	--	--	--	1.3	23.8	7.5	32.7	31.6	3.4	0.6	2.7
Wabasha	57.4	0.3	0.2	0.1	--	--	--	--	0.4	28.6	2.9	12.8	9.2	2.1	0.2	0.6
Washington	10.2	--	--	--	--	--	--	--	0.3	1.5	1.6	4.4	1.7	0.3	--	0.3
Winona	106.3	0.3	0.1	0.1	--	--	--	--	--	63.8	3.2	25.0	9.3	3.5	0.5	0.5
Wright	33.5	0.1	--	0.1	--	--	--	--	0.3	11.8	1.9	9.4	7.8	1.1	0.4	0.6
Total	1,951.1	11.3	10.6	7.0	7.5	--	17.9	--	30.8	571.8	129.5	485.8	560.2	80.1	10.7	27.9

(Table 15 continued on next page)

(Table 15 continued)

County	All types	Forest type												Non-stocked		
		jack pine	Red pine	White pine	Balsam fir	White spruce	Black spruce	Northern white cedar	Tamarack	Oak-hickory	Elm-ash-cottonwood	Maple-basswood	Aspen		Paper birch	Balsam poplar
Big Stone	2.4	--	--	--	--	--	--	--	--	0.2	0.6	0.7	0.8	--	0.1	
Blue Earth	21.4	--	--	--	--	--	--	--	5.0	2.2	11.7	2.0	--	0.2	0.3	
Brown	9.1	--	--	--	--	--	--	--	2.5	1.0	4.6	0.8	--	0.1	0.1	
Chippewa	3.9	--	--	--	--	--	--	--	0.2	1.0	1.0	1.4	--	0.2	0.1	
Clay	10.3	--	--	--	--	--	--	--	2.0	1.6	2.0	4.0	--	0.6	0.1	
Cottonwood	2.5	--	--	--	--	--	--	--	0.2	0.5	1.1	0.6	--	0.1	--	
Dodge	6.4	--	--	--	--	--	--	--	2.5	0.3	3.3	0.2	--	--	0.1	
Fairbault	6.2	--	--	--	--	--	--	--	0.8	1.1	3.4	0.8	--	0.1	--	
Freeborn	4.8	--	--	--	--	--	--	--	1.6	0.3	2.2	0.5	--	0.1	0.1	
Grant	2.9	--	--	--	--	--	--	--	0.9	0.3	0.8	0.9	--	--	--	
Jackson	2.1	--	--	--	--	--	--	--	0.5	0.2	1.0	0.4	--	--	--	
Kandiyohi	9.9	--	--	--	--	--	--	--	3.5	1.3	2.7	2.0	--	0.3	0.1	
Kittson	67.5	--	--	--	--	--	--	--	3.7	3.9	1.9	52.3	--	5.0	0.7	
Lac qui Parle	4.6	--	--	--	--	--	--	--	0.5	1.1	1.9	1.0	--	0.1	--	
Lincoln	2.0	--	--	--	--	--	--	--	0.5	0.2	0.9	0.4	--	--	--	
Lyon	4.4	--	--	--	--	--	--	--	0.6	0.9	2.0	0.7	--	0.1	0.1	
McLeod	5.8	--	--	--	--	--	--	--	1.2	0.5	3.5	0.6	--	--	--	
Marshall	128.5	--	--	--	--	--	--	0.7	8.3	11.4	5.7	87.9	--	13.2	1.3	
Martin	3.6	--	--	--	--	--	--	--	0.4	0.6	1.5	0.9	--	0.1	0.1	
Meeker	10.8	--	--	--	--	--	--	--	2.7	0.7	6.6	0.4	--	0.1	0.3	
Mower	5.2	--	--	--	--	--	--	--	1.7	0.3	2.8	0.3	--	--	0.1	
Murray	1.1	--	--	--	--	--	--	--	0.1	0.3	0.5	0.2	--	--	--	
Nicollet	12.3	--	--	--	--	--	--	--	2.3	1.1	7.4	1.1	--	0.1	0.3	
Nobles	0.7	--	--	--	--	--	--	--	0.1	0.1	0.2	0.3	--	--	--	
Norman	22.2	--	--	--	--	--	--	--	1.8	3.2	4.0	11.5	--	1.4	0.3	
Pennington	30.7	--	--	--	--	--	--	--	2.5	2.8	3.5	19.3	--	2.4	0.2	
Pipestone	0.4	--	--	--	--	--	--	--	0.1	0.1	0.1	0.1	--	--	--	
Polk	68.0	--	--	--	--	--	--	0.1	8.9	7.7	13.2	32.4	--	5.1	0.6	
Pope	6.9	--	--	--	--	--	--	0.1	1.1	1.2	1.3	2.7	--	0.4	0.1	
Red Lake	27.2	--	--	--	--	--	--	--	2.4	2.0	2.8	17.7	--	2.1	0.2	
Redwood	6.2	--	--	--	--	--	--	--	1.3	1.0	2.1	1.5	--	0.2	0.1	
Renville	7.2	--	--	--	--	--	--	0.1	1.6	0.9	3.3	1.1	--	0.1	0.1	
Rock	0.5	--	--	--	--	--	--	--	--	0.1	0.2	0.2	--	--	--	
Sibley	10.9	--	--	--	--	--	--	--	2.8	1.0	6.0	0.9	--	0.1	0.1	
Steele	5.0	--	--	--	--	--	--	--	1.4	0.3	2.6	0.5	--	0.1	0.1	
Stevens	1.0	--	--	--	--	--	--	--	0.2	0.1	0.2	0.5	--	--	--	
Swift	4.7	--	--	--	--	--	--	--	0.5	1.0	1.7	1.3	--	0.1	0.1	
Traverse	0.9	--	--	--	--	--	--	--	0.1	0.2	0.1	0.4	--	0.1	--	
Waseca	4.6	--	--	--	--	--	--	--	0.9	0.4	2.7	0.5	--	--	0.1	
Watonwan	1.1	--	--	--	--	--	--	--	--	0.4	0.7	--	--	--	--	
Wilkin	0.5	--	--	--	--	--	--	--	--	0.1	--	--	--	--	--	
Yellow Medicine	7.8	--	--	--	--	--	--	--	1.7	1.1	3.3	0.4	--	--	--	
Total	534.2	--	--	--	--	--	--	1.0	69.3	55.1	117.2	253.0	--	32.7	5.9	
All units	13,695.1	504.4	246.9	65.6	859.1	79.2	1,041.8	498.6	465.4	893.9	738.1	1,283.9	5,302.3	997.6	548.9	169.4

(Table 16 continued)

Forest type		NORTHERN PINE													
		Stand-age class (years)													
All ages		1-10	11-20	21-30	31-40	41-50	51-60	61-70	71-80	81-90	91-100	101-120	121-140	141+	
Jack pine	327.4	9.2	17.6	35.6	79.2	83.3	67.2	27.7	6.5	--	1.1	--	--	--	
Red pine	121.9	8.7	3.3	5.1	5.2	9.1	5.1	10.3	39.5	1.4	32.8	1.4	--	--	
White pine	24.8	--	--	--	1.3	6.8	2.8	3.0	2.5	1.4	2.6	4.4	--	--	
Balsam fir	225.6	11.7	22.0	26.5	17.8	41.4	34.2	58.1	10.9	1.6	--	1.4	--	--	
White spruce	19.1	1.4	1.1	3.4	--	--	9.4	2.6	--	1.2	--	--	--	--	
Black spruce	278.2	20.6	29.1	53.6	58.0	22.3	30.2	19.5	10.7	22.9	4.0	4.4	2.9	--	
Northern white-cedar	180.8	1.6	2.7	8.2	4.1	4.3	18.1	29.4	16.2	22.3	12.4	27.4	30.0	4.1	
Tamarack	276.0	18.0	38.7	25.1	16.3	16.3	49.2	12.2	22.4	25.9	6.0	26.0	19.9	--	
Oak	247.4	13.2	15.9	7.9	27.9	55.3	46.9	30.8	25.5	7.0	9.6	7.4	--	--	
Elm-ash-cottonwood	309.8	14.9	17.7	23.6	16.4	21.4	48.7	33.8	33.4	41.7	34.5	16.9	6.8	--	
Maple-basswood	466.4	6.7	13.9	13.7	40.8	95.7	106.1	61.0	46.1	20.3	34.8	7.6	19.7	--	
Aspen	2,541.7	290.7	246.3	212.4	446.6	653.1	442.0	164.5	52.5	22.4	6.7	3.1	1.4	--	
Paper birch	371.2	5.2	11.9	11.2	46.0	105.2	100.5	52.6	17.8	12.2	4.5	4.1	--	--	
Balsam poplar	297.5	35.9	53.4	29.0	47.5	57.6	38.3	21.6	12.8	1.4	--	--	--	--	
Nonstocked	70.6	69.1	--	--	--	1.5	--	--	--	--	--	--	--	--	
All types	5,758.4	506.9	473.6	455.3	807.1	1,173.3	998.7	527.1	296.8	181.7	149.0	104.1	80.7	4.1	
CENTRAL HARDWOOD															
Jack pine	11.3	--	--	2.6	3.8	3.2	--	1.7	--	--	--	--	--	--	--
Red pine	10.6	--	1.9	5.8	--	1.3	--	--	--	1.6	--	--	--	--	--
White pine	7.0	--	1.9	--	--	--	1.4	3.0	0.7	--	--	--	--	--	--
Balsam fir	7.5	--	2.0	--	--	4.2	1.3	--	--	--	--	--	--	--	--
White spruce	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Black spruce	17.9	--	1.7	7.9	0.8	1.6	4.3	1.6	--	--	--	--	--	--	--
Northern white-cedar	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Tamarack	30.8	--	4.4	2.2	0.8	7.0	4.7	2.8	1.4	2.7	1.6	1.6	1.6	--	
Oak	571.8	9.0	21.4	5.5	34.4	75.5	78.5	100.3	65.0	66.2	68.6	39.8	7.6	--	
Elm-ash-cottonwood	129.5	10.1	12.7	7.3	4.7	17.9	23.6	19.5	15.6	4.5	10.6	1.6	1.4	--	
Maple-basswood	485.8	18.3	18.3	15.5	39.7	60.8	70.8	91.5	69.7	46.9	24.7	26.5	3.1	--	
Aspen	560.2	82.7	48.2	39.1	124.8	146.5	81.7	25.5	7.9	3.8	--	--	--	--	
Paper birch	80.1	1.3	6.9	5.4	17.0	20.1	13.6	4.5	5.4	4.5	--	1.4	--	--	
Balsam poplar	10.7	1.4	1.4	--	--	3.2	3.2	--	--	1.5	--	--	--	--	
Nonstocked	27.9	20.8	2.4	1.6	--	1.7	--	--	1.4	--	--	--	--	--	
All types	1,951.1	143.6	123.2	92.9	226.0	343.0	283.1	250.4	167.1	131.7	105.5	70.9	13.7	--	
PRAIRIE															
Jack pine	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Red pine	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
White pine	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Balsam fir	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
White spruce	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Black spruce	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Northern white-cedar	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Tamarack	1.0	--	1.0	--	--	--	--	--	--	--	--	--	--	--	--
Oak	69.3	6.0	1.3	--	1.3	6.1	2.8	9.9	9.5	15.6	14.2	2.6	--	--	
Elm-ash-cottonwood	55.1	1.3	--	6.2	6.1	9.7	10.8	7.9	2.6	1.6	5.9	1.3	1.7	--	
Maple-basswood	117.2	1.3	6.2	5.3	1.5	5.4	17.1	25.2	22.8	11.9	9.7	9.7	1.1	--	
Aspen	253.0	61.0	45.9	24.7	46.9	45.3	16.1	8.0	3.8	1.3	--	--	--	--	
Paper birch	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Balsam poplar	32.7	6.3	5.1	3.0	8.1	7.4	1.5	1.3	--	--	--	--	--	--	
Nonstocked	5.9	1.4	1.5	--	1.3	1.7	--	--	--	--	--	--	--	--	
All types	534.2	77.3	61.0	39.2	65.2	75.6	48.3	52.3	38.7	30.4	29.8	13.6	2.8	--	

Table 17.--Area of commercial forest land by forest type, Forest Survey Unit, and stand-size class, Minnesota, 1977

(In thousand acres)

Forest type	ALL UNITS				
	All stands	Sawtimber stands	Poletimber stands	Stand-size class Sapling and seedling stands	Nonstocked areas
Jack pine	504.4	177.3	247.2	79.9	--
Red pine	246.9	145.1	41.8	60.0	--
White pine	65.6	58.4	3.9	3.3	--
Balsam fir	859.1	140.0	490.5	228.6	--
White spruce	79.2	21.7	23.5	34.0	--
Black spruce	1,041.8	31.1	390.3	620.4	--
Northern white-cedar	498.6	145.5	275.5	77.6	--
Tamarack	465.4	43.5	200.3	221.6	--
Oak-hickory	893.9	452.7	360.9	80.3	--
Elm-ash-cottonwood	738.1	194.8	388.8	154.5	--
Maple-basswood	1,283.9	675.6	493.5	114.8	--
Aspen	5,302.3	791.4	3,032.3	1,478.6	--
Paper birch	997.6	142.0	758.6	97.0	--
Balsam poplar	548.9	115.7	249.0	184.2	--
Nonstocked	169.4	--	--	--	169.4
All types	13,695.1	3,134.8	6,956.1	3,434.8	169.4
		ASPEN-BIRCH			
Jack pine	165.7	68.3	66.3	31.1	--
Red pine	114.4	49.2	19.9	45.3	--
White pine	33.8	32.4	--	1.4	--
Balsam fir	626.0	106.1	362.9	157.0	--
White spruce	60.1	13.0	17.1	30.0	--
Black spruce	745.7	24.0	304.4	417.3	--
Northern white-cedar	317.8	110.2	153.0	54.6	--
Tamarack	157.6	9.8	53.6	94.2	--
Oak-hickory	5.4	--	5.4	--	--
Elm-ash-cottonwood	243.7	45.0	138.8	59.9	--
Maple-basswood	214.5	106.0	79.8	28.7	--
Aspen	1,947.4	260.5	1,120.5	566.4	--
Paper birch	546.3	69.4	419.2	57.7	--
Balsam poplar	208.0	49.0	106.2	52.8	--
Nonstocked	65.0	--	--	--	65.0
All types	5,451.4	942.9	2,847.1	1,596.4	65.0

(Table 17 continued on next page)

(Table 17 continued)

Forest type	NORTHERN PINE				
	All stands	Stand-size class			Nonstocked areas
		Sawtimber stands	Poletimber stands	Sapling and seedling stands	
Jack pine	327.4	105.9	174.6	46.9	--
Red pine	121.9	94.3	15.6	12.0	--
White pine	24.8	20.9	3.9	--	--
Balsam fir	225.6	31.6	124.4	69.6	--
White spruce	19.1	8.7	6.4	4.0	--
Black spruce	278.2	7.1	80.8	190.3	--
Northern white-cedar	180.8	35.3	122.5	23.0	--
Tamarack	276.0	26.1	132.2	117.7	--
Oak-hickory	247.4	65.5	143.5	38.4	--
Elm-ash-cottonwood	309.8	76.4	169.5	63.9	--
Maple-basswood	466.4	179.0	252.9	34.5	--
Aspen	2,541.7	452.4	1,451.4	637.9	--
Paper birch	371.2	55.9	288.3	27.0	--
Balsam poplar	297.5	66.7	116.5	114.3	--
Nonstocked	70.6	--	--	--	70.6
All types	5,758.4	1,225.8	3,082.5	1,379.5	70.6
CENTRAL HARDWOOD					
Jack pine	11.3	3.1	6.3	1.9	--
Red pine	10.6	1.6	6.3	2.7	--
White pine	7.0	5.1	--	1.9	--
Balsam fir	7.5	2.3	3.2	2.0	--
White spruce	--	--	--	--	--
Black spruce	17.9	--	5.1	12.8	--
Northern white-cedar	--	--	--	--	--
Tamarack	30.8	7.6	14.5	8.7	--
Oak-hickory	571.8	343.2	194.0	34.6	--
Elm-ash-cottonwood	129.5	39.1	62.7	27.7	--
Maple-basswood	485.8	296.7	147.4	41.7	--
Aspen	560.2	70.1	349.1	141.0	--
Paper birch	80.1	16.7	51.1	12.3	--
Balsam poplar	10.7	--	8.1	2.6	--
Nonstocked	27.9	--	--	--	27.9
All types	1,951.1	785.5	847.8	289.9	27.9
PRAIRIE					
Jack pine	--	--	--	--	--
Red pine	--	--	--	--	--
White pine	--	--	--	--	--
Balsam fir	--	--	--	--	--
White spruce	--	--	--	--	--
Black spruce	--	--	--	--	--
Northern white-cedar	--	--	--	--	--
Tamarack	1.0	--	--	1.0	--
Oak-hickory	69.3	44.0	18.0	7.3	--
Elm-ash-cottonwood	55.1	34.3	17.8	3.0	--
Maple-basswood	117.2	93.9	13.4	9.9	--
Aspen	253.0	8.4	111.3	133.3	--
Paper birch	--	--	--	--	--
Balsam poplar	32.7	--	18.2	14.5	--
Nonstocked	5.9	--	--	--	5.9
All types	534.2	180.6	178.7	169.0	5.9

Table 18.--Area of commercial forest land by county
and stand-size class, Minnesota, 1977

(In thousand acres)

County	ASPEN-BIRCH				
	All stands	Sawtimber stands	Poletimber stands	Stand-size class Sapling and seedling stands	Nonstocked areas
Carlton	312.8	38.4	162.2	108.5	3.7
Cook	538.8	142.5	295.9	96.4	4.0
Koochiching	1,278.9	193.7	589.2	483.2	12.8
Lake	855.3	194.8	429.9	222.4	8.2
St. Louis	2,465.6	373.5	1,369.9	685.9	36.3
All counties	5,451.4	942.9	2,847.1	1,596.4	65.0
NORTHERN PINE					
Aitkin	672.5	142.0	331.1	196.6	2.8
Becker	313.9	81.1	178.9	53.9	--
Beltrami	794.6	154.8	428.6	196.3	14.9
Cass	858.6	189.0	515.3	148.8	5.5
Clearwater	301.7	77.5	150.4	72.1	1.7
Crow Wing	371.9	81.7	223.4	64.3	2.5
Hubbard	398.0	71.5	242.8	83.7	--
Itasca	1,281.0	308.5	677.2	271.7	23.6
Lake of the Woods	360.6	49.6	144.9	149.3	16.8
Mahnomen	106.4	22.4	56.5	27.5	--
Roseau	191.9	29.7	72.3	87.1	2.8
Wadena	107.3	18.0	61.1	28.2	--
All counties	5,758.4	1,225.8	3,082.5	1,379.5	70.6
CENTRAL HARDWOOD					
Anoka	36.6	19.5	10.6	5.6	0.9
Benton	26.1	13.1	8.3	4.5	0.2
Carver	10.4	6.6	2.4	1.2	0.2
Chisago	50.2	24.1	17.1	7.9	1.1
Dakota	16.5	7.5	6.7	1.8	0.5
Douglas	18.5	6.5	8.0	3.5	0.5
Fillmore	65.3	35.4	22.5	6.8	0.6
Goodhue	56.4	32.2	18.6	5.1	0.5
Hennepin	7.8	4.6	1.9	0.9	0.4
Houston	111.5	71.7	29.7	9.7	0.4
Isanti	46.9	17.8	18.7	9.2	1.2
Kanabec	129.0	41.2	68.8	17.3	1.7
Le Sueur	10.0	5.8	2.9	1.0	0.3
Mille Lacs	122.8	39.1	64.6	17.2	1.9
Morrison	148.7	68.9	55.9	21.6	2.3
Olmsted	32.0	18.0	10.0	3.7	0.3
Otter Tail	186.3	53.3	101.0	28.6	3.4
Pine	425.6	84.9	246.1	89.0	5.6
Ramsey	--	--	--	--	--
Rice	12.1	7.2	3.3	1.3	0.3
Scott	13.6	8.6	3.2	1.4	0.4
Sherburne	56.9	31.2	17.0	8.4	0.3
Stearns	56.0	33.6	15.5	6.6	0.3
Todd	104.5	37.7	47.1	17.1	2.6
Wabasha	57.4	30.7	19.9	6.0	0.8
Washington	10.2	5.6	3.2	1.2	0.2
Winona	106.3	66.0	30.8	9.1	0.4
Wright	33.5	14.7	14.0	4.2	0.6
All counties	1,951.1	785.5	847.8	289.9	27.9

(Table 18 continued on next page)

(Table 18 continued)

County	PRAIRIE				
	All stands	Stand-size class			Nonstocked areas
		Sawtimber stands	Poletimber stands	Sapling and seedling stands	
Big Stone	2.4	1.0	0.7	0.7	--
Blue Earth	21.4	15.3	3.3	2.5	0.3
Brown	9.1	6.5	1.5	1.0	0.1
Chippewa	3.9	1.3	1.3	1.2	0.1
Clay	10.3	3.7	3.2	3.3	0.1
Cottonwood	2.5	1.2	0.9	0.4	--
Dodge	6.4	5.0	0.9	0.4	0.1
Fairbault	6.2	4.0	1.3	0.9	--
Freeborn	4.8	3.3	0.8	0.6	0.1
Grant	2.9	1.4	1.1	0.4	--
Jackson	2.1	1.4	0.5	0.2	--
Kandiyohi	9.9	6.0	2.1	1.7	0.1
Kittson	67.5	6.3	28.0	32.5	0.7
Lac qui Parle	4.6	2.3	1.2	1.1	--
Lincoln	2.0	1.4	0.5	0.1	--
Lyon	4.4	2.3	1.1	0.9	0.1
McLeod	5.8	4.3	1.0	0.5	--
Marshall	128.5	16.7	47.7	62.9	1.2
Martin	3.6	2.0	1.1	0.4	0.1
Meeker	10.8	8.8	0.7	1.0	0.3
Mower	5.2	4.0	0.8	0.3	0.1
Murray	1.1	0.6	0.3	0.2	--
Nicollet	12.3	9.3	1.4	1.3	0.3
Nobles	0.7	0.3	0.3	0.1	--
Norman	22.2	6.4	9.6	5.9	0.3
Pennington	30.7	6.3	14.3	9.9	0.2
Pipestone	0.4	0.2	0.2	--	--
Polk	68.0	20.7	26.1	20.5	0.7
Pope	6.9	2.4	2.4	2.0	0.1
Red Lake	27.2	5.3	13.0	8.7	0.2
Redwood	6.2	3.1	1.8	1.2	0.1
Renville	7.2	4.5	1.5	1.1	0.1
Rock	0.5	0.2	0.2	0.1	--
Sibley	10.9	8.0	1.8	1.0	0.1
Steele	5.0	3.6	0.8	0.5	0.1
Stevens	1.0	0.4	0.4	0.2	--
Swift	4.7	2.0	1.6	1.0	0.1
Traverse	0.9	0.3	0.3	0.3	--
Waseca	4.6	3.5	0.5	0.5	0.1
Watonwan	1.1	0.6	0.2	0.3	--
Wilkin	0.5	0.1	0.1	0.3	--
Yellow Medicine	7.8	4.6	2.2	0.9	0.1
All counties	534.2	180.6	178.7	169.0	5.9
All units	13,695.1	3,134.8	6,956.1	3,434.8	169.4

Table 19.--Area of commercial forest land by forest type, stand-size class, and site class, Minnesota, 1977

(In thousand acres)

Forest type and stand-size class	All classes	Site class (cubic feet of growth/acre/year)					
		225 or more	165-224	120-164	85-119	50-84	20-49
Jack pine							
Sawtimber	177.3	--	--	1.4	3.8	77.3	94.8
Poletimber	247.2	--	--	--	10.4	100.8	136.0
Sapling & seedling	79.9	--	--	--	--	40.4	39.5
All stands	504.4	--	--	1.4	14.2	218.5	270.3
Red pine							
Sawtimber	145.1	--	--	1.4	46.7	72.5	24.5
Poletimber	41.8	--	--	4.0	13.7	10.3	13.8
Sapling & seedling	60.0	--	--	--	6.9	30.8	22.3
All stands	246.9	--	--	5.4	67.3	113.6	60.6
White pine							
Sawtimber	58.4	--	2.8	8.6	21.8	12.3	12.9
Poletimber	3.9	--	--	--	3.9	--	--
Sapling & seedling	3.3	--	--	--	3.3	--	--
All stands	65.6	--	2.8	8.6	29.0	12.3	12.9
Balsam fir							
Sawtimber	140.0	--	2.7	24.5	57.7	27.3	27.8
Poletimber	490.5	--	1.2	37.7	174.4	125.3	151.9
Sapling & seedling	228.6	--	--	16.3	54.0	61.3	97.0
All stands	859.1	--	3.9	78.5	286.1	213.9	276.7
White spruce							
Sawtimber	21.7	--	--	--	3.9	12.6	5.2
Poletimber	23.5	--	--	--	1.7	16.7	5.1
Sapling & seedling	34.0	--	--	--	5.9	15.5	12.6
All stands	79.2	--	--	--	11.5	44.8	22.9
Black spruce							
Sawtimber	31.1	--	--	--	--	2.6	28.5
Poletimber	390.3	--	--	--	6.9	20.2	363.2
Sapling & seedling	620.4	--	--	--	1.3	14.8	604.3
All stands	1,041.8	--	--	--	8.2	37.6	996.0
Northern white-cedar							
Sawtimber	145.5	--	--	--	--	2.8	142.7
Poletimber	275.5	--	--	--	--	17.1	258.4
Sapling & seedling	77.6	--	--	--	--	--	77.6
All stands	498.6	--	--	--	--	19.9	478.7

(Table 19 continued on next page)

(Table 19 continued)

Forest type and stand-size class	All classes	Site class (cubic feet of growth/acre/year)					
		225 or more	165-224	120-164	85-119	50-84	20-49
Tamarack							
Sawtimber	43.5	--	--	--	1.3	12.1	30.1
Poletimber	200.3	--	--	--	2.0	33.6	164.7
Sapling & seedling	221.6	--	--	--	--	19.4	202.2
All stands	465.4	--	--	--	3.3	65.1	397.0
Oak-hickory							
Sawtimber	452.7	--	--	2.8	10.0	134.6	305.3
Poletimber	360.9	--	--	--	14.7	118.8	227.4
Sapling & seedling	80.3	--	--	--	--	20.7	59.6
All stands	893.9	--	--	2.8	24.7	274.1	592.3
Elm-ash-cottonwood							
Sawtimber	194.8	--	--	--	6.3	37.2	151.3
Poletimber	388.8	--	--	--	1.1	25.8	361.9
Sapling & seedling	154.5	--	--	--	--	4.6	149.9
All stands	738.1	--	--	--	7.4	67.6	663.1
Maple-basswood							
Sawtimber	675.6	--	--	--	30.6	245.2	399.8
Poletimber	493.5	--	--	--	29.4	130.6	333.5
Sapling & seedling	114.8	--	--	--	1.1	23.1	90.6
All stands	1,283.9	--	--	--	61.1	398.9	823.9
Aspen							
Sawtimber	791.4	--	--	27.3	253.4	440.8	69.9
Poletimber	3,032.3	--	--	28.6	985.0	1,614.6	404.1
Sapling & seedling	1,478.6	--	--	4.2	210.0	828.0	436.4
All stands	5,302.3	--	--	60.1	1,448.4	2,883.4	910.4
Paper birch							
Sawtimber	142.0	--	--	--	2.9	51.1	88.0
Poletimber	758.6	--	--	1.4	6.7	259.0	491.5
Sapling & seedling	97.0	--	--	--	1.3	22.1	73.6
All stands	997.6	--	--	1.4	10.9	332.2	653.1
Balsam poplar							
Sawtimber	115.7	--	--	--	22.3	69.5	23.9
Poletimber	249.0	--	--	1.4	34.3	126.5	86.8
Sapling & seedling	184.2	--	--	--	10.1	90.0	84.1
All stands	548.9	--	--	1.4	66.7	286.0	194.8
Nonstocked							
All types	169.4	--	--	--	5.5	31.0	132.9
All types							
Sawtimber	3,134.8	--	5.5	66.0	460.7	1,197.9	1,404.7
Poletimber	6,956.1	--	1.2	73.1	1,284.2	2,599.3	2,998.3
Sapling & seedling	3,434.8	--	--	20.5	293.9	1,170.7	1,949.7
Nonstocked	169.4	--	--	--	5.5	31.0	132.9
All stands	13,695.1	--	6.7	159.6	2,044.3	4,998.9	6,485.6

Table 20.--Area of commercial forest land by forest type, site-index class, and Forest Survey Unit, Minnesota, 1977

(In thousand acres)

Forest type	ALL UNITS									
	All classes	Site-index class (feet)								
		11-20	21-30	31-40	41-50	51-60	61-70	71-80	81-90	91+
Jack pine	504.4	--	--	18.2	112.4	194.3	132.7	40.0	5.4	1.4
Red pine	246.9	--	--	5.8	36.4	118.2	42.7	43.8	--	--
White pine	65.6	--	--	3.7	18.8	29.5	10.7	2.9	--	--
Balsam fir	859.1	--	18.6	179.3	316.6	250.4	71.2	19.1	3.9	--
White spruce	79.2	--	--	5.8	32.7	23.8	16.9	--	--	--
Black spruce	1,041.8	27.2	369.8	375.1	223.9	37.6	6.9	1.3	--	--
Northern white-cedar	498.6	85.8	278.0	95.2	25.7	10.0	3.9	--	--	--
Tamarack	465.4	4.5	91.6	168.1	132.8	52.3	12.8	3.3	--	--
Oak-hickory	893.9	--	7.5	164.3	307.2	225.7	134.9	39.5	12.0	2.8
Elm-ash-cottonwood	738.1	--	3.2	136.3	218.8	259.3	82.5	30.6	5.9	1.5
Maple-basswood	1,283.9	--	--	63.4	303.0	465.1	316.5	103.8	32.1	--
Aspen	5,302.3	1.4	12.3	73.1	397.7	1,225.1	1,780.0	1,286.2	466.4	60.1
Paper birch	997.6	--	3.0	47.0	186.7	388.9	290.1	69.5	11.0	1.4
Balsam poplar	548.9	--	--	25.4	111.2	134.1	169.9	73.7	30.4	4.2
Nonstocked	169.4	4.3	20.8	31.1	51.1	36.1	20.6	5.4	--	--
All types	13,695.1	123.2	804.8	1,391.8	2,475.0	3,450.4	3,092.3	1,719.1	567.1	71.4
ASPEN-BIRCH										
Jack pine	165.7	--	--	5.4	55.9	78.5	20.7	5.2	--	--
Red pine	114.4	--	--	1.3	22.1	66.1	21.0	3.9	--	--
White pine	33.8	--	--	3.7	15.0	11.6	3.5	--	--	--
Balsam fir	626.0	--	11.0	106.0	245.6	195.0	56.2	9.5	2.7	--
White spruce	60.1	--	--	5.8	21.7	21.0	11.6	--	--	--
Black spruce	745.7	21.6	248.3	270.1	169.9	29.2	5.3	1.3	--	--
Northern white-cedar	317.8	52.0	182.9	54.4	17.9	6.7	3.9	--	--	--
Tamarack	157.6	1.2	40.8	51.5	44.4	17.0	2.7	--	--	--
Oak-hickory	5.4	--	--	--	1.2	1.4	1.4	1.4	--	--
Elm-ash-cottonwood	243.7	--	--	57.6	97.2	75.4	10.5	3.0	--	--
Maple-basswood	214.5	--	--	14.2	75.0	82.6	39.0	2.7	1.0	--
Aspen	1,947.4	--	8.9	20.3	156.0	530.7	698.2	391.8	118.9	22.6
Paper birch	546.3	--	1.4	36.7	112.0	223.5	144.0	27.2	1.5	--
Balsam poplar	208.0	--	--	8.6	28.8	52.2	64.2	33.4	18.0	2.8
Nonstocked	65.0	--	3.5	9.3	33.7	7.2	8.4	2.9	--	--
All types	5,451.4	74.8	496.8	644.9	1,096.4	1,398.1	1,090.6	482.3	142.1	25.4
NORTHERN PINE										
Jack pine	327.4	--	--	12.8	54.6	112.7	109.8	30.7	5.4	1.4
Red pine	121.9	--	--	4.5	14.3	47.4	17.7	38.0	--	--
White pine	24.8	--	--	--	2.5	15.3	5.6	1.4	--	--
Balsam fir	225.6	--	7.6	71.3	69.6	51.3	15.0	9.6	1.2	--
White spruce	19.1	--	--	--	11.0	2.8	5.3	--	--	--
Black spruce	278.2	5.6	120.0	91.5	51.1	8.4	1.6	--	--	--
Northern white-cedar	180.8	33.8	95.1	40.8	7.8	3.3	--	--	--	--
Tamarack	276.0	3.3	49.1	113.2	71.1	30.7	7.3	1.3	--	--
Oak-hickory	247.4	--	4.6	34.9	92.8	67.0	34.5	9.4	4.2	--
Elm-ash-cottonwood	309.8	--	1.4	56.3	82.6	119.1	39.2	10.1	1.1	--
Maple-basswood	466.4	--	--	21.7	100.1	171.9	116.8	39.9	16.0	--
Aspen	2,541.7	1.4	1.8	36.9	139.9	440.0	808.1	743.0	333.1	37.5
Paper birch	371.2	--	--	4.9	54.8	143.1	122.0	35.5	9.5	1.4
Balsam poplar	297.5	--	--	12.3	65.5	68.6	98.5	38.8	12.4	1.4
Nonstocked	70.6	4.3	15.8	11.8	10.3	18.1	7.8	2.5	--	--
All types	5,758.4	48.4	295.4	512.9	828.0	1,299.7	1,389.2	960.2	382.9	41.7

(Table 20 continued on next page)

(Table 20 continued)

Forest type	CENTRAL HARDWOODS									
	All classes	Site-index class (feet)								
		11-20	21-30	31-40	41-50	51-60	61-70	71-80	81-90	91+
Jack pine	11.3	--	--	--	1.9	3.1	2.2	4.1	--	--
Red pine	10.6	--	--	--	--	4.7	4.0	1.9	--	--
White pine	7.0	--	--	--	1.3	2.6	1.6	1.5	--	--
Balsam fir	7.5	--	--	2.0	1.4	4.1	--	--	--	--
White spruce	--	--	--	--	--	--	--	--	--	--
Black spruce	17.9	--	1.5	13.5	2.9	--	--	--	--	--
Northern white-cedar	--	--	--	--	--	--	--	--	--	--
Tamarack	30.8	--	0.7	3.4	17.3	4.6	2.8	2.0	--	--
Oak-hickory	571.8	--	1.6	98.2	195.2	144.6	92.9	28.7	7.8	2.8
Elm-ash-cottonwood	129.5	--	1.8	13.5	27.3	45.8	21.3	15.0	4.8	--
Maple-basswood	485.8	--	--	20.5	105.3	167.6	135.0	43.8	13.6	--
Aspen	560.2	--	1.6	2.5	36.2	153.1	223.6	128.8	14.4	--
Paper birch	80.1	--	1.6	5.4	19.9	22.3	24.1	6.8	--	--
Balsam poplar	10.7	--	--	1.5	2.9	3.2	1.6	1.5	--	--
Nonstocked	27.9	--	1.5	10.0	2.6	9.4	4.4	--	--	--
All types	1,951.1	--	10.3	170.5	414.2	565.1	513.5	234.1	40.6	2.8
PRAIRIE										
Jack pine	--	--	--	--	--	--	--	--	--	--
Red pine	--	--	--	--	--	--	--	--	--	--
White pine	--	--	--	--	--	--	--	--	--	--
Balsam fir	--	--	--	--	--	--	--	--	--	--
White spruce	--	--	--	--	--	--	--	--	--	--
Black spruce	--	--	--	--	--	--	--	--	--	--
Northern white-cedar	--	--	--	--	--	--	--	--	--	--
Tamarack	1.0	--	1.0	--	--	--	--	--	--	--
Oak-hickory	69.3	--	1.3	31.2	18.0	12.7	6.1	--	--	--
Elm-ash-cottonwood	55.1	--	--	8.9	11.7	19.0	11.5	2.5	--	1.5
Maple-basswood	117.2	--	--	7.0	22.6	43.0	25.7	17.4	1.5	--
Aspen	253.0	--	--	13.4	65.6	101.3	50.1	22.6	--	--
Paper birch	--	--	--	--	--	--	--	--	--	--
Balsam poplar	32.7	--	--	3.0	14.0	10.1	5.6	--	--	--
Nonstocked	5.9	--	--	--	4.5	1.4	--	--	--	--
All types	534.2	--	2.3	63.5	136.4	187.5	99.0	42.5	1.5	1.5

Table 21.--Area of commercial forest land by forest type and distance to water,
Minnesota, 1977

(In thousand acres)

Forest type	Total	Distance to water (miles)							
		0-1/8	1/8-1/4	1/4-1	1-2 1/2	2 1/2-5	5-10	10-20	20+
Jack pine	504.4	28.9	33.6	244.0	130.3	32.3	27.4	7.9	--
Red pine	246.9	5.6	51.6	64.6	77.1	44.0	4.0	--	--
White pine	65.6	5.2	11.4	28.1	9.8	11.1	--	--	--
Balsam fir	859.1	38.1	56.7	333.1	237.0	101.6	69.0	17.9	5.7
White spruce	79.2	5.0	2.8	14.6	24.0	23.7	6.3	--	2.8
Black spruce	1,041.8	34.7	52.3	245.6	305.1	223.2	146.6	31.3	3.0
Northern white-cedar	498.6	22.4	18.6	124.6	99.1	94.8	112.8	18.4	7.9
Tamarack	465.4	10.2	29.6	111.7	119.0	88.9	75.9	22.8	7.3
Oak	893.9	67.6	79.4	276.6	208.2	151.0	109.6	1.5	--
Elm-ash-cotwood	738.1	84.7	42.4	204.1	184.1	145.2	68.8	7.5	1.3
Maple-basswood	1,283.9	168.7	113.7	375.4	301.4	237.6	78.0	7.6	1.5
Aspen	5,302.3	357.2	408.4	1,729.7	1,404.4	820.2	399.0	116.2	67.2
Paper birch	997.6	128.5	96.4	352.4	248.9	143.2	15.5	12.7	--
Balsam poplar	548.9	21.2	22.8	115.3	124.1	133.9	82.3	32.0	17.3
Nonstocked	169.4	13.4	5.6	50.3	46.4	26.6	19.8	--	7.3
Total	13,695.1	991.4	1,025.3	4,270.1	3,518.9	2,277.3	1,215.0	275.8	121.3

Table 22.--Area of commercial forest land by forest type and distance to road
Minnesota, 1977

(In thousand acres)

Forest type	Total	Distance to road (miles)							
		0-1/8	1/8-1/4	1/4-1	1-2 1/2	2 1/2-5	5-10	10-20	20+
Jack pine	504.4	228.1	65.6	159.4	46.0	3.9	--	--	1.4
Red pine	246.9	130.4	51.3	51.8	12.2	--	1.2	--	--
White pine	65.6	31.3	4.0	24.5	4.4	--	1.4	--	--
Balsam fir	859.1	238.9	93.7	330.4	153.5	34.1	8.5	--	--
White spruce	79.2	38.6	10.7	15.4	13.1	1.4	--	--	--
Black spruce	1,041.8	206.3	73.3	347.7	282.7	92.5	29.8	1.3	8.2
Northern white-cedar	498.6	83.2	37.0	189.3	107.4	51.3	20.6	9.8	--
Tamarack	465.4	38.8	69.1	186.0	89.5	54.1	16.7	2.9	8.3
Oak	893.9	206.0	190.9	463.0	32.7	1.3	--	--	--
Elm-ash-cottonwood	738.1	151.2	103.6	355.9	97.6	16.2	9.6	--	4.0
Maple-basswood	1,283.9	352.2	241.4	536.8	122.4	18.9	5.1	--	7.1
Aspen	5,302.3	1,443.1	835.0	2,204.4	668.7	125.1	17.8	4.0	4.2
Paper birch	997.6	315.8	132.3	383.7	130.6	28.1	2.7	1.7	2.7
Balsam poplar	548.9	98.0	117.3	251.1	65.2	12.9	1.7	1.3	1.4
Nonstocked	169.4	47.0	22.3	54.9	25.8	12.5	3.0	--	3.9
Total	13,695.1	3,608.9	2,047.5	5,554.3	1,851.8	452.3	118.1	21.0	41.2

Table 23.--Area of commercial forest land by forest type and stand area class,
Minnesota, 1977

(In thousand acres)

Forest type	Total	Stand area class								
		1-4	4-9	10-19	20-39	40-79	80-159	160-319	320-639	640+
Jack pine	504.4	149.6	95.3	91.5	72.0	44.7	23.1	9.1	--	19.1
Red pine	246.9	85.0	36.8	21.4	53.7	8.7	10.9	1.7	--	28.7
White pine	65.6	16.5	29.4	2.8	11.1	1.4	--	--	4.4	--
Balsam fir	859.1	357.7	247.3	131.5	63.2	3.2	12.9	4.1	38.0	1.2
White spruce	79.2	33.7	21.7	16.9	1.3	1.4	1.9	--	--	2.3
Black spruce	1,041.8	334.6	232.8	196.7	127.8	50.6	67.4	11.4	2.9	17.6
Northern white-cedar	498.6	146.9	175.0	87.6	53.3	13.3	10.4	3.5	4.6	4.0
Tamarack	465.4	135.0	102.0	89.3	65.6	36.2	29.7	2.5	1.3	3.8
Oak	893.9	105.2	90.6	132.1	129.5	125.2	240.9	50.7	16.1	3.6
Elm-ash-cottonwood	738.1	205.3	201.7	123.9	76.5	42.7	40.6	9.6	3.1	34.7
Maple-basswood	1,283.9	182.8	226.5	262.6	218.1	135.8	156.7	39.8	18.5	43.1
Aspen	5,302.3	1,299.2	1,023.5	1,008.9	792.6	440.9	483.4	116.6	40.2	97.0
Paper birch	997.6	187.0	203.4	228.0	167.1	85.6	65.6	25.6	15.2	20.1
Balsam poplar	548.9	219.6	125.7	92.2	65.9	27.2	12.6	4.2	1.5	--
Nonstocked	169.4	61.0	51.3	19.3	16.9	1.6	4.4	1.7	6.6	6.6
Total	13,695.1	3,519.1	2,863.0	2,504.7	1,914.6	1,018.5	1,160.5	280.5	152.4	281.8

Table 24.--Area of noncommercial forest land by ownership class and Forest Survey Unit, Minnesota, 1977

(In thousand acres)

Ownership class	ALL UNITS		
	ALL areas	Productive-reserved areas	Unproductive areas
National forest	884.3	758.7	125.6
Other federal	253.8	126.7	127.1
State, county and municipal	1,560.3	281.6	1,278.7
Forest industry	35.2	--	35.2
Farmer	211.1	--	211.1
Miscellaneous private	69.4	11.6	57.8
All owners	3,014.1	1,178.6	1,835.5
ASPEN-BIRCH			
National forest	856.1	756.8	99.3
Other federal	175.6	121.6	54.0
State, county and municipal	872.8	165.7	707.1
Forest industry	30.9	--	30.9
Farmer	55.3	--	55.3
Miscellaneous private	29.7	6.5	23.2
All owners	2,020.4	1,050.6	969.8
NORTHERN PINE			
National forest	28.2	1.9	26.3
Other federal	70.8	1.7	69.1
State, county and municipal	584.4	43.3	541.1
Forest industry	4.3	--	4.3
Farmer	53.8	--	53.8
Miscellaneous private	12.3	--	12.3
All owners	753.8	46.9	706.9
CENTRAL HARDWOODS			
National forest	--	--	--
Other federal	3.0	0.1	2.9
State, county and municipal	90.0	67.2	22.8
Forest industry	--	--	--
Farmer	78.8	--	78.8
Miscellaneous private	20.8	5.1	15.7
All owners	192.6	72.4	120.2
PRAIRIE			
National forest	--	--	--
Other federal	4.4	3.3	1.1
State, county and municipal	13.1	5.4	7.7
Forest industry	--	--	--
Farmer	23.2	--	23.2
Miscellaneous private	6.6	--	6.6
All owners	47.3	8.7	38.6

Table 25.--Area of noncommercial forest land
by forest type and Forest Survey Unit,
Minnesota, 1977

(In thousand acres)

ALL UNITS			
Forest type	All areas	Productive- reserved areas	Unproductive areas
Jack pine	211.0	208.2	2.8
Red-white pine	79.4	71.9	7.5
Spruce-fir	171.9	104.7	67.2
Black spruce	1,101.1	68.7	1,032.4
Northern white-cedar	148.6	12.6	136.0
Tamarack	177.0	3.2	173.8
Oak-hickory	111.6	11.4	100.2
Elm-ash-cottonwood	225.9	38.3	187.6
Maple-basswood	30.7	23.1	7.6
Aspen-birch	743.0	633.9	109.1
Nonstocked	13.9	2.6	11.3
All types	3,014.1	1,178.6	1,835.5
ASPEN-BIRCH			
Jack pine	203.2	202.0	1.2
Red-white pine	65.0	59.2	5.8
Spruce-fir	149.6	100.2	49.4
Black spruce	709.2	62.9	646.3
Northern white-cedar	104.8	12.4	92.4
Tamarack	104.2	3.0	101.2
Oak-hickory	2.7	0.2	2.5
Elm-ash-cottonwood	44.9	8.9	36.0
Maple-basswood	13.8	9.5	4.3
Aspen-birch	609.1	589.7	19.4
Nonstocked	13.9	2.6	11.3
All types	2,020.4	1,050.6	969.8
NORTHERN PINE			
Jack pine	4.3	2.7	1.6
Red-white pine	6.7	6.7	--
Spruce-fir	15.5	1.4	14.1
Black spruce	382.6	5.8	376.8
Northern white-cedar	43.8	0.2	43.6
Tamarack	69.8	0.2	69.6
Oak-hickory	10.7	--	10.7
Elm-ash-cottonwood	132.9	4.2	128.7
Maple-basswood	7.5	5.5	2.0
Aspen-birch	80.0	20.2	59.8
Nonstocked	--	--	--
All types	753.8	46.9	706.9

(Table 25 continued)

CENTRAL HARDWOODS			
Forest type	All areas	Productive- reserved areas	Unproductive areas
Jack pine	3.5	3.5	--
Red-white pine	7.7	6.0	1.7
Spruce-fir	4.2	0.5	3.7
Black spruce	6.6	--	6.6
Northern white-cedar	--	--	--
Tamarack	3.0	--	3.0
Oak-hickory	81.6	8.6	73.0
Elm-ash-cottonwood	41.9	22.1	19.8
Maple-basswood	8.0	8.0	--
Aspen-birch	36.1	23.7	12.4
Nonstocked	--	--	--
All types	192.6	72.4	120.2
PRAIRIE			
Jack pine	--	--	--
Red-white pine	--	--	--
Spruce-fir	2.6	2.6	--
Black spruce	2.7	--	2.7
Northern white-cedar	--	--	--
Tamarack	--	--	--
Oak-hickory	16.6	2.6	14.0
Elm-ash-cottonwood	6.2	3.1	3.1
Maple-basswood	1.4	0.1	1.3
Aspen-birch	17.8	0.3	17.5
Nonstocked	--	--	--
All types	47.3	8.7	38.6

Jakes, Pamela J.

1980. The fourth Minnesota forest inventory: area. U.S. Department of Agriculture Forest Service, Resource Bulletin NC-54, 37 p. U.S. Department of Agriculture Forest Service, North Central Forest Experiment Station, St. Paul, Minnesota.

In 1977 the fourth Minnesota Forest Inventory found 13.7 million acres of commercial forest land, down 11 percent from that reported in 1962. This bulletin analyzes finding from the inventory and presents detailed tables of forest area.

KEY WORDS: forest area, commercial forest area, forest inventory, land use.

Jakes, Pamela J.

1980. The fourth Minnesota forest inventory: area. U.S. Department of Agriculture Forest Service, Resource Bulletin NC-54, 37 p. U.S. Department of Agriculture Forest Service, North Central Forest Experiment Station, St. Paul, Minnesota.

In 1977 the fourth Minnesota Forest Inventory found 13.7 million acres of commercial forest land, down 11 percent from that reported in 1962. This bulletin analyzes finding from the inventory and presents detailed tables of forest area.

KEY WORDS: forest area, commercial forest area, forest inventory, land use.